

Non-radioactive Microsphere References

(ver. Jan 28.2002)

This is a representative bibliography of research papers describing work done using Non-Radioactive microspheres. While not complete, the listed papers do give a good overview of medical research applications of Non-Radioactive microspheres. The Fluorescent Microsphere Research Center at the University of Washington maintains a bibliography of Non-Radioactive papers complete with abstracts on their web site: <http://fmrc.pulmcc.washington.edu/FMRC>.

Abe, Y., Y. Kitada and A. Narimatsu. Effect of a calcium-sensitizing positive inotropic agent MCI-154 and its combined use with enalapril on postischemic contractile dysfunction of dog hearts. *Journal of Cardiovascular Pharmacology* 26:653-9., 1995.

Abel, F. L., R. H. Cooper and R. R. Beck. Use of fluorescent latex microspheres to measure coronary blood flow distribution. *Circulation Shock* 41:156-61, 1993.

Abel, F. L., R. R. Beck and R. H. Cooper. Fluorescent microspheres [letter]. *Journal Applied Physiology* 76:986, 1994.

Abraham, S. A., F. N. Mirecki, D. Levine, A. D. Nunn, H. W. Strauss and H. Gewirtz. Myocardial technetium-99m-teboroxime activity in acute coronary artery occlusion and reperfusion: relation to myocardial blood flow and viability. *Journal of Nuclear Medicine* 36:1062-8., 1995.

Akiba, Y., P. H. Guth, E. Engel, I. Nastaskin and J. D. Kaunitz. Dynamic regulation of mucus gel thickness in rat duodenum. *American Journal of Physiology Gastrointestinal and Liver Physiology* 279:G437-G447, 2000.

Altemeier, W. A., H. T. Robertson, S. McKinney and R. W. Glenny. Pulmonary embolization causes hypoxemia by redistributing regional blood flow without changing ventilation. *Journal of Applied Physiology* 85:2337-2343, 1998.

Altemeier, W. A., H. T. Robertson and R. W. Glenny. Pulmonary gas-exchange analysis by using simultaneous deposition of aerosolized and injected microspheres. *Journal of Applied Physiology* 85:2344-2351, 1998.

Angelborg, C., N. Slepecky, H. C. Larsen and L. Soederberg. Colored microspheres for blood flow determinations twice in the same animal. *Heart Research* 27:265-9, 1987.

Ardehali, A., R. N. Gates, H. Laks, D. C. Drinkwater, Jr., E. Rudis, T. J. Sorensen, P. Chang and A. Aharon. The regional capillary distribution of retrograde blood cardioplegia in explanted human hearts. *Journal Thoracic Cardiovascular Surgery* 109:935-9; discussion 939-40., 1995.

Ardevol, A., C. Adan, X. Remesar, M. Alemany and J. A. Fernandezlopez. Muscle blood flow during intense exercise in the obese rat. *Archives of Physiology & Biochemistry* 104:337-343, 1996.

Ardevol, A., C. A. X. Remesar, J. A. FernandezLopez and M. Alemany. Lactate-bicarbonate interrelationship during exercise and recovery in lean and obese Zucker rats. *International Journal of Obesity* 21:333-339, 1997.

Ardevol, A., C. Adan, X. Remesar, J.-A. FernandezLopez and M. Alemany. Hind leg heat balance in obese Zucker rats during exercise. *Pflugers Archiv-European Journal of Physiology* 435:454-464, 1998.

Arshady, R. Microspheres for biomedical applications: preparation of reactive and labelled microspheres. *Biomaterials* 14:5-15, 1993.

- Atef, N., A. Ktorza, L. Picon and L. P'Enicaud. Increased islet blood flow in obese rats: role of the autonomic nervous system. *American Journal Physiology* 262:E736-40., 1992.
- Atef, N., B. Portha and L. P'Enicaud. Changes in islet blood flow in rats with NIDDM. *Diabetologia* 37:677-680., 1994.
- Atef, N., M. C. Laury, J. M. Nguyen, N. Mokhtar, A. Ktorza and L. Penicaud. Increased pancreatic islet blood flow in 48-hour glucose-infused rats: Involvement of central and autonomic nervous systems. *Endocrinology* 138:1836-1840, 1997.
- Audet, D. M. and W. L. Olbricht. The motion of model cells at capillary bifurcations. *Microvascular Research* 33:377-396, 1987.
- Austin, R. E., Jr., W. W. Hauck, G. S. Aldea, A. E. Flynn, D. L. Coggins and J. I. Hoffman. Quantitating error in blood flow measurements with radioactive microspheres. *American Journal Physiology* 257:H280-288, 1989.
- Austin, G. E., M. B. Tuvlin, D. Martino-Salzman, R. L. Hunter, A. G. Justicz, N. K. Thompson and A. C. Brooks. Determination of regional myocardial blood flow using fluorescent microspheres. *American Journal Cardiovascular Pathology* 4:352-357, 1993.
- Baer, R. W., B. D. Payne, E. D. Verrier, G. J. Vlahakes, D. Molodowitch, P. N. Uhlig and J. I. E. Hoffman. Increased number of myocardial blood flow measurements with radionuclide-labeled microspheres. *American Journal Physiology* 246:H418-H434, 1994.
- Baile, E. M., J. M. Nelems, M. Schulzer and P. D. Par'e. Measurement of regional bronchial arterial blood flow and bronchovascular resistance in dogs. *Journal Applied Physiology* 53:1044-1049, 1982.
- Bailey, W. F., Jr., M. G. Magno, P. D. Buckman, F. DiMeo, T. Langan, V. T. Armenti and J. D. Mannion. Chronic stimulation enhances extramyocardial collateral blood flow after a cardiomyoplasty. *Annals Thoracic Surgery* 56:1045-52; discussion 1052-1053., 1993.
- Barnes, M. D., N. Lerner, W. B. Whitten and J. M. Ramsey. CCD based approach to high-precision size and refractive index determination of levitated microdroplets using Fraunhofer diffraction. *Review of Scientific Instruments* 68:2287-2291, 1997.
- Bassingthwaighte, J. B., M. A. Malone, T. C. Moffett, R. B. King, S. E. Little, J. M. Link and K. A. Krohn. Validity of microsphere deposition for regional myocardial flows. *American Journal Physiology* 253:H184-H193, 1987.
- Bassingthwaighte, J. B., M. A. Malone, T. C. Moffett, R. B. King, I. S. Chan, J. M. Link and K. A. Krohn. Molecular and particulate depositions for regional myocardial flows in sheep. *Circulation Research* 66:1328-1344, 1990.
- Bauer, R., B. Walter, E. Wurker, H. Kluge and U. Zwiener. Colored microsphere technique as a new method for quantitative-multiple estimation of regional hepatic and portal blood flow. *Experimental & Toxicologic Pathology* 48:415-420, 1996.
- Bauer, R., D. Hoyer, B. Walter, E. Gaser, H. Kluge and U. Zwiener. Changed systemic and cerebral hemodynamics and oxygen supply due to gradual hemorrhagic hypotension induced by an external PID-controller in newborn swine. *Experimental and Toxicologic Patholog* 49:469-476, 1997.
- Bauer, R., R. Bergmann, B. Walter, P. Brust, U. Zwiener and B. Johannsen. Regional distribution of cerebral blood volume and cerebral blood flow in newborn piglets - effect of hypoxia/hypercapnia. *Developmental Brain Research* 112:89-98, 1999.

Bauer, R., B. Walter, A. Torossian, H. Fritz, O. Schlonski, T. Jochum, Hoyer, K. Reinhart and U. Zwiener. A piglet model for evaluation of rebral blood flow and brain oxidative metabolism during gradual cerebral perfusion pressure decrease. *Pediatric Neurosurgery* 30:62-69, 1999.

Baumgart, D., T. Ehring and G. Heusch. A proischaemic action of nisoldipine: relationship to a decrease in perfusion pressure and comparison to dipyridamole. *Cardiovascular Research* 27:1254-1259, 1993.

Baumgart, D., T. Ehring, P. Kowallik, B. D. Guth, M. Krajcar and G. Heusch. Impact of alpha-adrenergic coronary vasoconstriction on the transmural myocardial blood flow distribution during humoral and neuronal adrenergic activation. *Circulation Research* 73:869-886., 1993.

Beck, K. C. Regional trapping of microspheres in the lung compares well with regional blood flow. *Journal Applied Physiology* 63:883-889, 1987.

Beezhold, D. H., G. L. Sussman, G. M. Liss and N. S. Chang. Latex Allergy Canadian Induce Clinical Reactions to Specific Foods. *Clinical & Experimental Allergy* 26:416-422, 1996.

Bernard, S. L., R. W. Glenny, N. L. Polissar, D. L. Luchtel and S. Lakshminarayan. Distribution of pulmonary and bronchial blood supply to airways measured by fluorescent microspheres. *Journal of Applied Physiology* 80:430-436, 1996.

Bernard, S. L., R. W. Glenny, H. H. Erickson, M. R. Fedde, N. Polissar, R. J. Basaraba and M. P. Hlastala. Minimal redistribution of pulmonary blood flow with exercise in racehorses. *Journal of Applied Physiology* 81:1062-1070, 1996.

Bernard, S. L., D. L. Luchtel, R. W. Glenny and S. Lakshminarayan. Bronchial circulation in the marsupial opossum, *Didelphis marsupialis*. *Respiration Physiology* 105:1-2, 1996.

Bernard, S. L., J. R. Ewen, C. H. Barlow, J. J. Kelly, S. McKinney, D. A. Frazer and R. W. Glenny. High spatial resolution measurements of organ blood flow in small laboratory animals. *American Journal of Physiology Heart and Circulatory Physiology* 279:H2043-H2052, 2000.

Black, S. C. and I. W. Rodger. Methods for studying experimental myocardial ischemic and reperfusion injury. *Journal of Pharmacological and Toxicological Methods* 35:179-190, 1996.

Bland, J. M. and D. G. Altman. Statistical methods for assessing agreement between two methods of clinical measurement. *Lancet* 1:307-310, 1986.

Bock, J. C., A. H. G. Goetze and R. Felix. Confirmation by animal experiment of a semiquantitative single-layer tomography for MR imaging of regional cerebral perfusion. *Rofo Fortschritte Auf Dem Gebiet Der Ontgenstrahlen und der Bildgebenden Verfahren* 166:335-341, 1997.

Boeckxstaens, C. J. and W. J. Flameng. Retrograde cerebral perfusion does not perfuse the brain in nonhuman primates [see comments]. *Annals Thoracic Surgery* 60:319-27; discussion 327-328., 1995.

Bolender, R. P., D. M. Hyde and R. T. Dehoff. Lung morphometry: a new generation of tools and experiments for organ, tissue, cell, and molecular biology. *American Journal Physiology* 265:L521-548, 1993.

Bone, H. G., P. J. Schenarts, S. R. Fischer, R. McGuire, L. D. Traber and D. L. Traber. Pyridoxalated hemoglobin polyoxyethylene conjugate reverses hyperdynamic circulation in septic sheep. *Journal of Applied Physiology* 84:1991-1999, 1998.

Booke, M., F. Hinder, R. McGuire, L. D. Traber and D. L. Traber. Selective inhibition of inducible nitric oxide synthase: Effects on hemodynamics and regional blood flow in healthy and septic sheep. *Critical Care Medicine* 27:162-167, 1999.

Boston, U. S., A. M. Slater, T. A. Orszulak and D. J. Cook. Hierarchy of regional oxygen delivery during cardiopulmonary bypass. *Annals of Thoracic Surgery* 71:260-264, 2001.

- Bouaziz H, Okubo N, Malinovsky JM, Benhamou D, Samii K, Mazoit JX. The age-related effects of epidural lidocaine, with and without epinephrine, on spinal cord blood flow in anesthetized rabbits. *Anesth Analg* 88:1302-1307, 1999.
- Bouaziz, H., N. Okubo, J. M. Malinovsky, D. Benhamou, K. Samii and J. X. Mazoit. The age-related effects of epidural lidocaine, with and without epinephrine, on spinal cord blood flow in anesthetized rabbits. *Anesthesia and Analgesia* 88:1302-1307, 1999.
- Boyde, A., L. A. Wolfe, M. Maly and S. J. Jones. Vital confocal microscopy in bone. *Scanning* 17:72-85, 1995.
- Bray, R. C., D. J. Butterwick, M. R. Doschak and J. V. Tyberg. Coloured microsphere assessment of blood flow to knee ligaments in adult rabbits: Effects of injury. *Journal of Orthopaedic Research* 14:618-625, 1996.
- Bray, R., K. Forrester, J. J. McDougall, A. Damji and W. R. Ferrell. Evaluation of laser Doppler imaging to measure blood flow in knee ligaments of adult rabbits. *Medical & Biological Engineering & Computing* 34:227-231, 1996.
- Bremer, H. J., A. Anninos and B. Schulz. Amino Acid Composition of Food Products Used In the Treatment of Patients With Disorders of the Amino Acid and Protein Metabolism. *European Journal of Pediatrics* 155:S 108-S 114, 1996.
- Brogan, T. V., R. G. Hedges, S. McKinney, H. T. Robertson, M. P. Hlastala and E. R. Swenson. Pulmonary NO synthase inhibition and inspired CO₂: effects on V'/Q' and pulmonary blood flow distribution. *European Respiratory Journal* 16:288-295, 2000.
- Brown, W. E., M. G. Magno, P. D. Buckman, M. F. Di, D. R. Gale and J. D. Mannion. The coronary collateral circulation in normal goats. *Journal Surgery Research* 51:54-59, 1991.
- Brown, W. R., D. M. Moody, D. A. Stump, D. D. Deal and R. L. Anderson. Dog model for cerebrovascular studies of the proximal-to-distal distribution of sequentially injected emboli. *Microvascular Research* 50:105-112., 1995.
- Brunston, R. L., W. K. Tao, A. Bidani, D. L. Traber and J. B. Zwischenberger. Organ blood flow during arteriovenous carbon dioxide removal. *Asaio Journal* 43:M821-M824, 1997.
- Brust, P., R. Bauer, G. Vorwieger, B. Walter, R. Bergmann, F. Fuchtnr, J. Steinbach, U. Zwiener and B. Johannsen. Upregulation of the aromatic amino acid decarboxylase under neonatal asphyxia. *Neurobiology of Disease* 6:131-139, 1999.
- Buchwalder, L. F., M. Lin, T. J. McDonald and P. W. Nathanielsz. Fetal sheep adrenal blood flow responses to hypoxemia after splanchnicotomy using fluorescent microspheres. *Journal of Applied Physiology* 84:82-89, 1998.
- Buckberg, G. D., J. C. Luck, D. B. Payne, J. I. E. Hoffman, J. P. Archie and D. E. Fixler. Some sources of error in measuring regional blood flow with radioactive microspheres. *Journal Applied Physiology* 31:598-604, 1971.
- Budde, J. M., D. A. Velez, Z. Q. Zhao, K. L. Clark, C. D. Morris, S. Muraki, R. A. Guyton and J. Vinten-Johansen. Comparative study of AMP579 and adenosine in inhibition of neutrophil-mediated vascular and myocardial injury during 24 h of reperfusion. *Cardiovascular Research* 47:294-305, 2000.
- Bufkin, B.L., Mellitt, R.J., Gott, J.P., Huang, A.H., Pan-Chih, and Guyton, R.A.. Aerobic blood cardioplegia for revascularization of acute infarct: effects of delivery temperature. *Annals of Thoracic Surgery* 58:953-960, 1994.

Burchfield, D. J., A. Pena, A. J. M. Peters, R. M. Abrams and D. Phillips. Cocaine does not compromise cerebral or myocardial oxygen delivery in fetal sheep. *Reproduction Fertility and Development* 8:383-389, 1996.

Caldarone, C. A., I. B. Krukenkamp, B. D. Misare and S. Levitsky. Perfusion deficits with retrograde warm blood cardioplegia. *Annals Thoracic Surgery* 57:403-406., 1994.

Caparas, S. N., M. J. Clair, R. S. Krombach, J. W. Hendrick, W. V. Houck, S. B. Kribbs, R. Mukherjee, G. E. Tempel and F. G. Spinale. Brain blood flow patterns after the development of congestive heart failure: Effects of treadmill exercise. *Critical Care Medicine* 28:209-214, 2000.

Carlson, G. D., K. E. Warden, J. M. Barbeau, E. Bahniuk, K. L. Kutina, Nelson, C. L. Biro, H. H. Bohlman and J. C. LaManna. Viscoelastic relaxation and regional blood flow response to spinal cord compression and decompression. *Spine* 22:1285-1291, 1997.

Carlson, G. D., Y. Minato, A. Okada, C. D. Gorden, K. E. Warden, J. M. Barbeau, C. L. Biro, E. Bahniuk, H. H. Bohlman and J. C. Lamanna. Early time-dependent decompression for spinal cord injury: Vascular mechanisms of recovery. *Journal of Neurotrauma* 14:951-962, 1997.

Cerda, S. E., C. Y. Tong, D. D. Deal and J. C. Eisenach. A physiologic assessment of intrathecal amitriptyline in sheep. *Anesthesiology* 6:1094-1103, 1997.

Chase, P. B., K. B. Kern, A. B. Sanders, C. W. Otto and G. A. Ewy. Effects of graded doses of epinephrine on both noninvasive and invasive measures of myocardial perfusion and blood flow during cardiopulmonary resuscitation. *Critical Care Medicine* 21:413-419., 1993.

Chien, G. L., C. G. Anselone, R. F. Davis and D. M. Van-Winkle. Fluorescent vs. radioactive microsphere measurement of regional myocardial blood flow. *Cardiovascular Research* 30:405-412, 1995.

Chiou, G. C. and Y. J. Chen. Effects of D- and L-isomers of timolol on retinal and choroidal blood flow in ocular hypertensive rabbit eyes. *Journal Ocul Pharmacol* 8:183-190., 1992.

Chiou, G. C. and Y. J. Chen. Improvement of ocular blood flow with dopamine antagonists on ocular-hypertensive rabbit eyes. *Chung Kuo Yao Li Hsueh Pao* 13:481-484., 1992.

Chornuk, M. A., S. L. Bernard, J. W. Burns, R. W. Glenny, D. D. Sheriff, S. E. Sinclair, N. L. Polissar and M. P. Hlastala. Effects of inertial load and countermeasures on the distribution of pulmonary blood flow. *Journal-of-Applied-Physiology* 89:445-457, 2000.

Cicutti, N., K. Rakusan and H. F. Downey. Colored microspheres reveal interarterial microvascular anastomoses in canine myocardium. *Basic Research Cardiology* 87:400-409, 1992.

Cicutti, N. and K. Rakusan. The effect of hypoxia on capillary flow direction in the isolated perfused rat heart. *Canadian Journal Cardiology* 10:367-373, 1994.

Cicutti, N., K. Rakusan and H. F. Downey. Coronary artery occlusion extends perfusion territory boundaries through microvascular collaterals. *Basic Research Cardiology* 89:427-437., 1994.

Cioffi, G. A. and S. Orgul. Intraluminal corrosion casting and colored-microsphere techniques as means to assess optic nerve hemodynamics. *Ocular Blood Flow* 226:1996.

Cochran, R. P., K. S. Kunzelman, C. R. Vocelka, H. Akimoto, R. Thomas, L. O. Soltow and B. D. Spiess. Perfluorocarbon emulsion in the cardiopulmonary bypass prime reduces neurologic injury. *Annals of Thoracic Surgery* 63:1326-1332, 1997.

Conhaim, R. L. and L. A. Rodenkirch. Estimated functional diameter of alveolar septal microvessels in zone 1. *American Journal Physiology* 271:H996-H1003., 1996.

Consigny, P. M., E. D. Verrier, B. D. Payne, G. Edelist, J. Jester, R. W. Baer, G. J. Vlahakes and J. I. Hoffman. Acute and chronic microsphere loss from canine left ventricular myocardium. *American Journal Physiology* 242:H392-404, 1982.

Daldrup, H. E., D. M. Shames, W. Hussein, M. F. Wendland, Y. Okuhata and R. C. Brasch. Quantification of the extraction fraction for gadopentetate across breast cancer capillaries. *Magnetic Resonance In Medicine* 40:537-543, 1998.

DeBehnke, D. J., M. G. Angelos and J. E. Leasure. Use of cardiopulmonary bypass, high-dose epinephrine, and standard-dose epinephrine in resuscitation from post-countershock electromechanical dissociation. *Annals Emergency Medicine* 21:1051-1057., 1992.

Deem, S., M. J. Bishop and M. K. Alberts. Effect of anemia on intrapulmonary shunt during atelectasis in rabbits. *Journal of Applied Physiology* 79:1951-1957, 1995.

Deem, S., S. McKinney, N. L. Polissar, R. G. Hedges and E. R. Swenson. Hemodilution during venous gas embolization improves gas exchange, without altering V-A/Q or pulmonary blood flow distributions. *Anesthesiology* 91:1861-1872, 1999.

Degens, H., A. J. Craven, J. C. Jarvis and S. Salmons. The use of coloured dye-extraction microspheres to measure blood flow in rabbit skeletal muscle: A validation study with special emphasis on repeated measurements. *Experimental Physiology* 81:239-249, 1996.

Deka, C., L. A. Sklar and J. A. Steinkamp. Fluorescence lifetime measurements in a flow cytometer by amplitude demodulation using digital data acquisition technique. *Cytometry* 17:94-101, 1994.

Deveci, D. and S. Egginton. Development of the fluorescent microsphere technique for quantifying regional blood flow in small mammals. *Experimental Physiology* 84:615-630, 1999.

Diebel, L. N., J. G. Tyburski and S. A. Dulchavsky. Effect of hypertonic saline solution and dextran on ventricular blood flow and heart-lung interaction after hemorrhagic shock. *Surgery* 124:642-650, 1998.

Domenech, R. J., J. I. Hoffman, M. I. Noble, K. B. Saunders, J. R. Henson and S. Subijanto. Total and regional coronary blood flow measured by radioactive microspheres in conscious and anesthetized dogs. *Circulation Research* 25:581-596, 1969.

Durham, S. R., R. Raghupathi, M. A. Helfaer, S. Marwaha and A. C. Duhaime. Age-related differences in acute physiologic response to focal traumatic brain injury in piglets. *Pediatric Neurosurgery* 33:76-82, 2000.

Eckstein, E. C., J. F. Koleski and C. M. Waters. Concentration profiles of 1 and 2.5 microns beads during blood flow. Hematocrit effects. *Asaio Trans.* 35:188-190, 1989.

Ehring, T., M. Bohm and G. Heusch. The calcium antagonist nisoldipine improves the functional recovery of reperfused myocardium only when given before ischemia. *Journal Cardiovascular Pharmacology* 20:63-74., 1992.

Ehring, T., D. Baumgart, M. Krajcar, M. Hummelgen, S. Kompa and G. Heusch. Attenuation of myocardial stunning by the ACE inhibitor ramiprilat through a signal cascade of bradykinin and prostaglandins but not nitric oxide. *Circulation* 90:1368-1385., 1994.

Ehring, T., Krajcar, M., Baumgart, D., Kompa, S., Hümmelgen, M., and Heusch, G.. Cholinergic and alpha-adrenergic coronary vasomotion with increasing ischemia-reperfusion injury. *American Journal of Physiology* 268:H886-H894, 1995.

Eising, G. P., L. Mao, G. W. SchmidSchonbein, R. L. Engler and J. Ross. Effects of induced tolerance to bacterial lipopolysaccharide on myocardial infarct size in rats. *Cardiovascular Research* 31:73-81, 1996.

Elgjo, G. I., B. P. Mathew, L. F. P. deFigueiredo, P. J. Schenarts, J. W. Horton, M. A. Dubick and G. C. Kramer. Resuscitation with hypertonic saline dextran improves cardiac function in vivo and ex vivo after burn injury in sheep. *Shock* 9:375-383, 1998.

Enrione, M. A., M. C. Papo, C. L. Leach, B. A. Holm, L. J. Hernan, B. P. Fuhrman, M. S. Dowhy, M. G. Rath and P. E. Friscaro. Regional pulmonary blood flow during partial liquid ventilation in normal and acute oleic acid-induced lung-injured piglets. *Critical Care Medicine* 27:2716-2723, 1999.

Erickson, H. H., S. L. Bernard, R. W. Glenny, M. R. Fedde, N. L. Polissar, R. J. Basaraba, S. M. Walther, E. M. Gaughan, R. McMurphy and M. P. Hlastala. Effect of furosemide on pulmonary blood flow distribution in resting and exercising horses. *Journal of Applied Physiology* 86:2034-2043, 1999.

Fan, F. C., G. B. Schuessler, R. Y. Z. Chen and S. Chien. Determination of blood flow and shunting of 9- and 15- μ m spheres in regional beds. *American Journal Physiology* 237:H25-H33, 1979.

Fenton, B. M., R. T. Carr and G. R. Cokelet. Nonuniform red cell distribution in 20 to 100 micrometers bifurcations. *Microvascular Research* 29:103-126, 1985.

Flynn, A. E., D. L. Coggins, R. E. Austin, D. D. Muehrcke, G. S. Aldea, M. Goto, J. W. Doucette and J. I. Hoffman. Nonuniform blood flow in the canine left ventricle. *Journal Surgery Research* 49:379-384, 1990.

Forrester, K., M. Doschak and R. Bray. In vivo comparison of scanning technique and wavelength in laser Doppler perfusion imaging: measurement in knee ligaments of adult rabbits. *Medical & Biological Engineering & Computing* 35:581-586, 1997.

Frangioni, G. and G. Borgioli. Data on haemodynamics of splenic circulation in the newt. *Journal of Zoology* 238:149-155, 1996.

Fujiki, H., T. Mori, K. Yoshida, T. Imaizumi and M. Tominaga. OPC-18790, a novel positive inotropic agent, has both arterial and venous vascular dilating actions in the dog. *European Journal of Pharmacology* 313:191-200, 1996.

Funato, H., M. Watanabe and A. Uemura. Therapeutic effects of a calcium antagonist, lacidipine, on stroke-prone spontaneously hypertensive rats with cerebrovascular lesions. *Japanese Journal of Pharmacology* 80:199-208, 1999.

Gagnon, R., J. Challis, L. Johnston and L. Fraher. Fetal endocrine responses to chronic placental embolization in the late-gestation ovine fetus. *American Journal Obstetric Gynecology* 170:929-938., 1994.

Galiuto, L., A. N. DeMaria, K. MayNewman, U. DelBalzo, K. Ohmori, V. Bhargava, S. F. Flaim and S. Iliceto. Evaluation of dynamic changes in microvascular flow during ischemia-reperfusion by myocardial contrast echocardiography. *Journal of the American College of Cardiology* 32:1096-1101, 1998.

Gates, R. N., J. G. Lee, H. Laks, D. C. Drinkwater, E. Rhudis, A. S. Aharon, J. Y. Chung and P. A. Chang. Evidence of improved microvascular perfusion when using antegrade and retrograde cardioplegia. *Annals of Thoracic Surgery* 62:1388-1391, 1996.

Gervais, M., P. Demolis, V. Domergue, M. Lesage, C. Richer and J. F. Giudicelli. Systemic and regional hemodynamics assessment in rats with fluorescent microspheres. *Journal of Cardiovascular Pharmacology* 33:425-432, 1999.

Gervais, M., P. Fornes, C. Richer, D. Nisato and J. F. Giudicelli. Effects of angiotensin II AT(1)-receptor blockade on coronary dynamics, function, and structure in postischemic heart failure in rats. *Journal of Cardiovascular-Pharmacology* 36:329-337, 2000.

Glenny, R. W., S. Bernard and M. Brinkley. Validation of fluorescent-labeled microspheres for measurement of regional organ perfusion. *Journal Applied Physiology* 74:2585-2597, 1993.

Glenny, R. W., N. L. Polissar, S. McKinney and H. T. Robertson. Temporal heterogeneity of regional pulmonary perfusion is spatially clustered. *Journal Applied Physiology* 79:986-1001., 1995.

Glenny, R. W. and H. T. Robertson. A computer simulation of pulmonary perfusion in three dimensions. *J Applied Physiology* 79:357-369., 1995.

Glenny, R. W., S. McKinney and K. T. Robertson. Spatial pattern of pulmonary blood flow distribution is stable over days. *Journal of Applied Physiology* 82:902-907, 1997.

Glenny, R. W., S. Bernard, H. T. Robertson and M. P. Hlastala. Gravity is an important but secondary determinant of regional pulmonary blood flow in upright primates. *Journal of Applied Physiology* 86:623-632, 1999.

Glenny, R. W., S. L. Bernard and W. J. Lamm. Hemodynamic effects of 15- μ m-diameter microspheres on the rat pulmonary circulation. *Journal-of Applied Physiology* 89:499-504, 2000.

Glenny, R. W., S. L. Bernard and H. T. Robertson. Pulmonary blood flow remains fractal down to the level of gas exchange. *Journal of Applied Physiology* Aug 2000; 89 (2) : 742-748. 89:742-748, 2000.

Glenny, R. W., W. J. E. Lamm, S. L. Bernard, D. An, M. Chornuk and S. L. Pool. Selected contribution: Redistribution of pulmonary perfusion during weightlessness and increased gravity. *Journal of Applied Physiology* 89:1239-1248, 2000.

Glenny, R. W., H. T. Robertson and M. P. Hlastala. Vasomotor tone does not affect perfusion heterogeneity and gas exchange in normal primate lungs during normoxia. *Journal of Applied Physiology* 89:2263-2267, 2000.

Gottlieb, G. J., S. H. Kubo and D. R. Alonso. Ultrastructural characterization of the border zone surrounding early experimental myocardial infarcts in dogs. *American Journal Pathology* 103:292-303, 1981.

Granetzny, A., U. Schwanke, C. Schmitz, S. SchmitzSpanke, G. Arnold, H. D. Schulte and J. D. Schipke. Effects of a new bradycardic agent on the isolated rabbit heart. *Zeitschrift Fur Kardiologie* 85:953-960, 1996.

Granetzny, A., U. Schwanke, C. Schmitz, G. Arnold, D. Schafer, H. D. Schulte, E. Gams and J. D. Schipke. Pharmacologic heart rate reduction: Effect of a novel, specific bradycardic agent on the heart. *Thoracic and Cardiovascular Surgery* 46:63-69, 1998.

Greve, G. and T. Saetersdal. Problems related to infarct size measurements in the rat heart. *Acta Anat Basel* 142:366-373, 1991.

Groban, L., D. A. Zvara, D. D. Deal, J. C. Vernon, C. W. Flye, X. L. Ma and J. VintenJohansen. Cloricromene reduces infarct size and alters postischemic blood flow defects in dog myocardium. *Clinical and Experimental Pharmacology and Physiology* 25:417-423, 1998.

Gross, W., P. Zeller, U. Kreimeier and K. Messmer. Pseudocolor display of regional organ blood flow determined by means of the radioactive technique. *Computer Medical Imaging and Graphics* 14:1-11, 1990.

Gross, T. S., A. A. Damji, S. Judex, R. C. Bray and R. F. Zernicke. Bone hyperemia precedes disuse-induced intracortical bone resorption. *Journal Applied Physiology*. 86:230-235, 1999.

Grund, F., H. T. Sommerschild, T. Lyberg, K. A. Kirkeboen and A. Ilebakk. Microembolization in pigs: effects on coronary blood flow and myocardial ischemic tolerance. *American Journal of Physiology Heart and Circulatory Physiology* 46:H533-H542, 1999.

Gewirtz, H., Fischman, A.J., Abraham, S., Gilson, M., Strauss, H.W., and Alpert, N.M.. Positron emission tomographic measurements of absolute regional myocardial blood flow permits identification of nonviable myocardium in patients with chronic myocardial infarction. *Journal of American College of Cardiology* 23:851-859, 1994.

Haga, Y., R. Nordlander, P. O. Sjoquist and L. Ryd'en. Influence of coronary venous retroinfusion and vasodilatation on regional myocardial blood flow measurement with microspheres. An analysis of 'microsphere loss' from ischaemic and reperfused porcine hearts. *Acta Physiology Scandania* 153:13-20, 1995.

Hagendorff, A., C. Vahlhaus, W. Jung, C. Martin, G. Heusch and B. Luderitz. Association between hemodynamic parameters and the degeneration of sustained ventricular tachycardias into ventricular fibrillation in rats. *Journal of Molecular and Cellular Cardiology* 29:3091-3103, 1997.

Hagendorff, A., C. Dettmers, P. Danos, M. Hummelgen, C. Vahlhaus, C. Martin, G. Heusch and B. Luderitz. Cerebral vasoconstriction during sustained ventricular tachycardia induces an ischemic stress response of brain tissue in rats. *Journal of Molecular and Cellular Cardiology*. 30:2081-2094, 1998.

Hakkinen, J. P., M. W. Miller, A. H. Smith and D. R. Knight. Measurement of organ blood flow with coloured microspheres in the rat. *Cardiovascular Research* 29:74-79, 1995.

Hale, S. L., M. T. Vivaldi and R. A. Kloner. Fluorescent microspheres: a new tool for visualization of ischemic myocardium in rats. *American Journal Physiology* 251:H863-H868, 1986.

Hale, S. L. and R. A. Kloner. Effect of early coronary artery reperfusion on infarct development in a model of low collateral flow. *Cardiovascular Research* 21:668-673, 1987.

Hale, S. L., K. J. Alker and R. A. Kloner. Evaluation of nonradioactive, colored microspheres for measurement of regional myocardial blood flow in dogs. *Circulation* 78:428-434, 1988.

Hales, J. R. S. and W. J. Cliff. Direct observation of the behavior of microspheres in microvasculature. *Bibl. Anat.* 15:87-91, 1977.

Hall, J. L., L. A. Hernandez, J. Henderson, L. A. Kellerman and W. C. Stanley. Decreased interstitial glucose and transmural gradient in lactate during ischemia. *Basic Research Cardiology* 89:468-486, 1994.

Hall, J., Van Wylen, D.G.L., Pizzurro, R.D., Hamilton, C.D., Reiling, C.M., Stanley, W.C.. Myocardial interstitial purine metabolites and lactate with increased work in swine. *Cardiovascular Research* 30: 351-356, 1995.

Hanger, C. C., S. C. Hillier, R. G. Presson, Jr., R. W. Glennly and W. W. Wagner, Jr. Measuring pulmonary microvessel diameters using video image analysis. *Journal Applied Physiology* 79:526-532., 1995.

Hardy, J., A. L. Bertone and W. W. Muir. Joint pressure influences synovial tissue blood flow as determined by colored microspheres. *Journal of Applied Physiology* 80:1225-1232, 1996.

Harada, K., Friedman, M., Lopez, J.J., Wang, S.Y., Li, J., Prasad, P.V., Pearlman, J.D., Edelman, E.R., Sellke, F.W., and Simons, M.. Vascular endothelial growth factor administration in chronic myocardial ischemia. *American Journal Physiology* 270:H1791-H1802, 1996.

Harada, K., Grossman, W., Friedman, M., Edelman, E.R., Prasad, P.V., Keighley, C.S., Manning, W.J., Sellke, F.W., and Simons, M.. Basic fibroblast growth factor improves myocardial function in chronically ischemic porcine hearts. *Journal Clinical Investigation* 94(623):630, 1994.

Hariawala, M. D., J. R. Horowitz, D. Esakof, D. D. Sheriff, D. Walter, B. Keyt, J. M. Isner and J. F. Symes. VEGF improves myocardial blood flow but produces EDRF-mediated hypotension in porcine hearts. *Journal of Surgical Research* 63:77-82, 1996.

Hasegawa, T., A. Kimura, R. Miyataka, M. Inagaki and K. Ishikawa. Basic fibroblast growth factor increases regional myocardial blood flow and salvages myocardium in the infarct border zone in a rabbit model of acute myocardial infarction. *Angiology* 50:487-495, 1999.

Hatabu, H., E. Tadamura, D. L. Levin, Q. Chen, W. Li, D. Kim, P. V. with dynamic contrast-enhanced MRI. *Magnetic Resonance in Medicine* 42:1033-1038, 1999.

Hatori, N., Y. Uriuda, K. Isozima, T. Isono, E. Okuda, K. Hamada, I. Nakahoshi, A. Kurita, H. Yoshizu and S. Tanaka. Short-term treatment with synchronized coronary venous retroperfusion before full reperfusion significantly reduces myocardial infarct size. *American Heart Journal* 123:1166-1174., 1992.

Hendrik, E.R., van't Veen, A., Gommers, D., Segerer, H. and Lachmann, B.. Colored microspheres versus radioactive labeled DPPC in a pulmonary distribution study of surfactant in rabbits. *Euro Wkshp on Fluorescent Microsphere Method Maastricht*, 1993.

Hendrik, E.R., van't Veen, A., Segerer, H., Lachman, B.. Colored Microspheres versus radioactive labeled DPPC in a pulmonary distribution study of surfactant in rabbits. *First European Workshop on Fluorescent Microsphere Method September 21 & 22, Maastricht*, 1993.

Herijgers, P., V. Leunens, T. B. Tjandramaga, K. Mubagwa and W. Flameng. Changes in organ perfusion after brain death in the rat and its relation to circulating catecholamines. *Transplantation* 62:330-335, 1996.

Heyman, M. A., B. D. Payne, J. I. Hoffman and A. M. Rudolf. Blood flow measurements with radionuclide-labeled particles. *Progress in Cardiovascular Diseases* 20:55-79, 1977.

Hill, S. C., P. Nachman, S. Arnold, T. M. Ramsey and M. D. Barnes. Fluorescence image of a single molecule in a microsphere: model. *Journal of the Optical Society of America B Optical Physics* 16:1868-1873, 1999.

Hiller, K. H., P. Adami, S. Voll, F. Roder, P. Kowallik, W. R. Bauer, A. Haase and G. Ertl. In vivo colored microspheres in the isolated rat heart for use in NMR. *Journal of Molecular and Cellular Cardiology* 28:571-577, 1996.

Hiller, K. H., F. Roder, P. Adami, S. Voll, P. Kowallik, A. Haase, G. Ertl and W. R. Bauer. Study of microcirculation by coloured microspheres and NMR-microscopy in isolated rat heart: Effect of ischaemia, endothelin-1 and endothelin-1 antagonist BQ 610. *Journal of Molecular and Cellular Cardiology* 29:3115-3122, 1997.

- Hillier, S. C., J. A. Graham, C. C. Hanger, P. S. Godbey, R. W. Glenny and W. W. Wagner. Hypoxic vasoconstriction in pulmonary arterioles and venules. *Journal of Applied Physiology* 82:1084-1090, 1997.
- Hlastala, M. P., S. L. Bernard, H. H. Erickson, M. R. Fedde, E. M. Gaughan, R. McMurphy, M. J. Emery, N. Polissar and R. W. Glenny. Pulmonary blood flow distribution in standing horses is not dominated by gravity. *Journal of Applied Physiology* 81:1051-1061, 1996.
- Hlastala, M. P., M. A. Chornuk, D. A. Self, H. J. Kallas, J. W. Burns, S. Bernard, N. L. Polissar and R. W. Glenny. Pulmonary blood flow redistribution by increased gravitational force. *Journal of Applied Physiology* 84:1278-1288, 1998.
- Hodeige, D., P.-M. De, W. Eechaute, J. Weyne and G. R. Heyndrickx. on the validity of blood flow measurement using colored microspheres. *American Journal of Physiology Heart and Circulatory Physiology* 45:H1150-H1158, 1999.
- Hoffbrand, B. I. and R. P. Forsyth. Validity studies of the radioactive microsphere method for the study of the distribution of cardiac output, organ blood flow, and resistance in the conscious rhesus monkey. *Cardiovascular Research* 3:426-432, 1969.
- Hong, S. J., K. Y. Wu and I. J. Chen. Ocular hypotensive and vasodilative effects of two beta-adrenergic blockers with intrinsic sympathomimetic activity. *Current Eye Research* 17:700-707, 1998.
- Hood, D. D., J. C. Eisenach, C. Tong, E. Tommasi and T. L. Yaksh. Cardiorespiratory and spinal cord blood flow effects of intrathecal neostigmine methylsulfate, clonidine, and their combination in sheep [see comments]. *Anesthesiology* 82:428-435., 1995.
- Hooper, S. B. Role of luminal volume changes in the increase in pulmonary blood flow at birth in sheep. *Experimental Physiology* 83:833-842, 1998.
- Hoshida, S., T. Kuzuya, M. Nishida, N. Yamashita, H. Oe, M. Hori, T. amada and M. Tada. Adenosine blockade during reperfusion reverses the infarct limiting effect in preconditioned canine hearts. *Cardiovascular Research* 28:1083-1088, 1994.
- Hoshida, S., T. Kuzuya, N. Yamashita, M. Nishida, S. Kitahara, M. Hori, T. Kamada and M. Tada. gamma-Glutamylcysteine ethyl ester for myocardial protection in dogs during ischemia and reperfusion. *Journal American College of Cardiology* 24:1391-1397., 1994.
- Hsia, C. C. W., S. I. Takeda, E. Y. Wu, R. W. Glenny and R. L. Johnson. Adaptation of respiratory muscle perfusion during exercise to chronically elevated ventilatory work. *Journal of Applied Physiology* 89:1725-1736, 2000.
- Hsieh, A. S., H. Winet, J. Y. Bao and M. Stevanovic. Model for intravital microscopic evaluation of the effects of arterial occlusion-caused ischemia in bone. *Annals of Biomedical Engineering* 27:508-516, 1999.
- Hu, N., T. D. Ngo and E. B. Clark. Distribution of blood flow between embryo and vitelline bed in the stage 18, 21 and 24 chick embryo. *Cardiovascular Research* 31:131, 1996.
- Hubler, M., J. E. Souders, E. D. Shade, M. P. Hlastala, N. L. Polissar and R. W. Glenny. Validation of fluorescent-labeled microspheres for measurement of relative blood flow in severely injured lungs. *Journal of Applied Physiology* 87:2381-2385, 1999.
- Hudspeth, D., et al. Adenosine in Blood Cardioplegia Prevents Postischemic Dysfunction in Ischemically Injured Hearts. *Annals of Thoracic Surgery* 58:1637-1644,1994.

Huijbregts, P., E. J. M. Feskens, L. Rasanen, A. Albertifidanza, M. Mutanen, F. Fidanza and D. Kromhout. Dietary Intake In Five Ageing Cohorts of Men In Finland, Italy and the Netherlands. *European Journal of Clinical Nutrition* 49:852-860, 1995.

Iglesiasbarreira, V., M. T. Ahn, B. Reusens, S. Dahri, J. J. Hoet and C. Remacle. Pre- and postnatal low protein diet affect pancreatic islet blood flow and insulin release in adult rats. *Endocrinology* 137:3797-3801, 1996.

Ikeda, T., Y. Murata, E. J. Quilligan, P. Cifuentes, S. Doi and S. D. Park. Two sinusoidal heart rate patterns in fetal lambs undergoing extracorporeal membrane oxygenation. *American Journal of Obstetrics and Gynecology* 180:462-468, 1999.

Inada, Y., S. Tamai, S. Mizumoto, H. Ono, K. Kawanishi and A. Fukui. Non-radioactive coloured microsphere measurement of regional tissue blood flow for axial pattern flaps in rabbits. *British Journal Plastic Surgery* 46:127-131, 1993.

Ishikawa, K., I. Ogawa, M. Shimizu, H. Koka, N. Kamata, S. Nakai, H. Akiyama, T. Shimamoto, N. Ishida and K. Kanamasa. The importance of good endocardial reflow immediately after reperfusion for myocardial salvage in dogs. *Japanese Circulation Journal* 55:983-993, 1991.

Ishikawa, K., I. Ogawa, M. Shimizu, H. Koka, N. Kamata, S. Nakai and R. Katori. Residual critical coronary stenosis during myocardial reperfusion is deleterious to myocardial salvage in dogs. *Japanese Circulation Journal* 56:921-928., 1992.

Ishikawa, K., N. Kamata, S. Nakai, H. Akiyama, H. Koka, I. Ogawa and R. Katori. Preservation of high regional blood flow at epicardial rim after coronary occlusion in dogs. *American Journal Physiology* 267:H528-H534, 1994.

Ishikawa, M., T. Mori, S. Itoh, H. Fujiki, K. Koga, M. Tominaga and Y. Yabuuchi. Effects of OPC-18790, a new positive inotropic agent, on energetics in the ischaemic canine heart: a ³¹P-MRS study. *Cardiovascular Research* 30:299-306., 1995.

Iwamaru, A., M. Watanabe, S. Yu, T. Ohtsuka, H. Horinouchi and K. Kobayashi. Measurement of tumor blood flow using colored dye extraction microspheres in two rat tumor models. *International Journal of Oncology* 18:227-232, 2001.

Jasper, M. S., P. McDermott, D. S. Gann and W. C. Engeland. Measurement of blood flow to the adrenal capsule, cortex and medulla in dogs after hemorrhage by fluorescent microspheres. *Journal Auton Nerv System*. 30:159-167, 1990.

Johansen, B., M. N. Melsom, T. Flatebo and G. Nicolaysen. Time course and pattern of pulmonary flow distribution following unilateral airway occlusion in sheep. *Clinical Science* 94:453-460, 1998.

Kaihara, S., P. D. Heerden, T. Migita and H. N. Wagner Jr. Measurement of distribution of cardiac output. *Journal of Applied Physiology* 25:696-700, 1968.

Kallas, H. J., K. B. Domino, R. W. Glenny, E. A. Anderson and M. P. Hlastala. Pulmonary blood flow redistribution with low levels of positive end-expiratory pressure. *Anesthesiology*. 88:1291-1299, 1998.

Kamimura, T., H. Sakamoto and K. Misumi. Regional blood flow distribution from the proximal arterial cannula during veno-arterial extracorporeal membrane oxygenation in neonatal dog. *Journal of Veterinary Medical Science* 61:311-315, 1999.

Kanagawa, R., T. Wada, T. Sanada, M. Ojima and Y. Inada. Regional hemodynamic effects of candesartan cilexetil (TCV-116), an angiotensin II AT(1)-receptor antagonist, in conscious spontaneously hypertensive rats. *Japanese Journal of Pharmacology* 73:185-190, 1997.

- Kanamasa, K., N. Ishida and K. Ishikawa. Protective effect of PEG-SOD against early coronary reperfusion injury assessed in reperfused and non-reperfused ischaemic areas of the same heart. *Acta-Cardiologica*. 56:181-186, 2001.
- Kapadia, S. J., J. S. Terlato and A. S. Most. Presence of a critical coronary artery stenosis does not abolish the protective effect of ischemic preconditioning. *Circulation*95:1286-1292, 1997.
- Kawagoe, Y., S. Permutt and H. E. Fessler. Hyperinflation with intrinsic PEEP and respiratory muscle blood flow. *Journal Applied Physiology* 77:2440-2448., 1994.
- Kelly, R. F., T. L. Hursey, G. L. Schaer, M. J. Piotrowski, S. V. Dee, J. E. Parrillo and S. M. Hollenberg. Cardiac endothelin release and infarct size, myocardial blood flow, and ventricular function in canine infarction and reperfusion. *Journal of Investigative Medicine*. 44:575-582, 1996.
- Kelly, R. F., T. L. Hursey, R. B. Patel, J. E. Parrillo and G. L. Schaer. Effect of poloxamer 188 on collateral blood flow, myocardial infarct size, and left ventricular function in a canine model of prolonged (3-hour) coronary occlusion and reperfusion. *Journal of Thrombosis and Thrombolysis*. 5:239-247, 1998.
- Kelly, J. J., J. R. Ewen, S. L. Bernard, R. W. Glenny and C. H. Barlow. Regional blood flow measurements from fluorescent microsphere images using an Imaging CryoMicrotome. *Review of Scientific Instruments*. 71:228-234, 2000.
- Kelly, R.F., Hursey, T.L., Parrillo, J.E., and Schaer, G.L.. Effect of 100% oxygen administration on infarct size and left ventricular function in a canine model of myocardial infarction and reperfusion. *American Heart Journal* 130:957-965, 1995.
- Kemp, P. A., S. M. Gardiner, J. E. March, P. C. Rubin and T. Bennett. Assessment of the effects of endothelin-1 and magnesium sulphate on regional blood flows in conscious rats, by the coloured microsphere reference technique. *British Journal of Pharmacology* 126:621-626, 1999.
- Kern, K. B., L. Lancaster, S. Goldman and G. A. Ewy. The effect of coronary artery lesions on the relationship between coronary perfusion pressure and myocardial blood flow during cardiopulmonary resuscitation in pigs. *American Heart Journal* 120:324-333, 1990.
- Kern, K. B. and G. A. Ewy. Minimal coronary stenoses and left ventricular blood flow during CPR [published erratum appears in *Annals Emerg Medicine* 1993 Jan;22(1):124]. *Annals Emerg Medicine*. 21:1066-1072., 1992.
- Khoobehi, B., B. Shoelson, Y. Z. Zhang and G. A. Peyman. Fluorescent microsphere imaging: A particle-tracking approach to the hemodynamic assessment of the retina and choroid. *Ophthalmic Surgery and Lasers*. 28:937-947, 1997.
- Kim, Y.D., Chen, B. Beaugard, J., Kouretas, P., Thomas, G., Farhat, M.Y., and Lees, D.E.. 17 β -Estradiol prevents dysfunction of canine coronary endothelium and myocardium and reperfusion arrhythmias after brief ischemia/reperfusion. *Circulation* 94:2901-2908, 1996.
- Kim, Y.D., Heim, K., Wang, Y.-N., Lees, D., and Myers, A.. Effects of isoflurane on regional coronary blood flow and myocardial tissue pressure in chronically instrumented dogs. *Anesthesiology* 81:875-887, 1994.
- Kimura, A., K. Ishikawa and I. Ogawa. Myocardial salvage by reperfusion 12 hours after coronary ligation in dogs. *Japanese Circulation Journal-English Edition*. 62:294-298, 1998.

Kinoshita, K., D. J. Hearse, M. V. Braimbridge and A. S. Manning. 'Early' ischemia and reperfusion-induced arrhythmias: antiarrhythmic effects of diltiazem in the conscious rat. *Canadian Journal Cardiol.* 4:37-43, 1988.

Kinoshita, H., I. Ijiri, S. Ameno, C. Fuke, Y. Fujisawa and K. Ameno. Inhibitory mechanism of intestinal ethanol absorption induced by high acetaldehyde concentrations: Effect of intestinal blood flow and substance specificity. *Alcoholism Clinical and Experimental Research* 20:510-513, 1996.

Klabunde, R. E., W. A. Anderson, M. Locke, S. E. Ianuzzo and C. D. Ianuzzo. Regional blood flows in the goat latissimus dorsi muscle before and after chronic stimulation. *Journal of Applied Physiology* 81:2365-2372, 1996.

Klemm, K. and F. G. Moody. Regional intestinal blood flow and nitric oxide synthase inhibition during sepsis in the rat. *Annals of Surgery* 227:126-133, 1998.

Kobayashi, N., K. Kobayashi, K. Kono, T. Akabane, H. Kaneko, M. Takada, N. Tsuchiya and S. Yagi. Effects of microsphere suspension agents on systemic hemodynamics in rats. Comparison of nonradioactive colored and radioactive microspheres. *Japanese Heart Journal* 35:467-475, 1994.

Kobayashi, N., K. Kobayashi, K. Kouno, S. Horinaka and S. Yagi. Effects of intra-atrial injection of colored microspheres on systemic hemodynamics and regional blood flow in rats. *American Journal Physiology* 266:H1910-H1917., 1994.

Kobayashi, N., K. Kobayashi, K. Kouno, S. Yagi and H. Matsuoka. Effect of benidipine on microvascular remodeling and coronary flow reserve in two-kidney, one clip Goldblatt hypertension. *Journal of Hypertension* 15:1285-1294, 1997.

Kobayashi, N., K. Kobayashi, K. Hara, T. Higashi, H. Yanaka, S. Yagi and H. Matsuoka. Benidipine stimulates nitric oxide synthase and improves coronary circulation in hypertensive rats. *American Journal of Hypertension*. 12:483-491, 1999.

Kohmoto, T., P. E. Fisher, A. Gu, S. M. Zhu, O. J. Yano, H. M. Spotnitz, C. R. Smith and D. Burkhoff. Does blood flow through holmium:YAG transmymocardial laser channels? *Annals of Thoracic Surgery* 61:861-868, 1996.

Kohmoto, T., G. Uzun, A. Gu, S. M. Zhu, C. R. Smith and D. Burkhoff. Blood flow capacity via direct acute myocardial revascularization. *Basic Research In Cardiology*. 92:45-51, 1997.

Kohmoto, T., P. E. Fisher, A. Gu, S. M. Zhu, C. M. DeRosa, C. R. Smith and D. Burkhoff. Physiology, histology, and 2-week morphology of acute transmymocardial channels made with a CO2 laser. *Annals of Thoracic Surgery* 63:1275-1283, 1997.

Kolok, A., Spooner, R.M. and Farrell, A.P.. The effect of exercise on the cardiac output and blood flow distribution of the large-scale sucker *catostomus macrocheilus*. *Journal Experimental Biology* 183:301-321, 1993.

Kowallik, P., R. Schulz, B. D. Guth, A. Schade, W. Paffhausen, R. Gross and G. Heusch. Measurement of regional myocardial blood flow with multiple colored microspheres. *Circulation* 83:974-982, 1991.

Kowallik, P., D. Baumgart, A. Skyschally, T. Ehring and G. Heusch. Three-dimensional analysis of regional mechanical function, blood flow and electrophysiological parameters during early myocardial ischemia in dogs. *Basic Research Cardiology* 87:215-226., 1992.

Kramer, C. M., P. D. Nicol, W. J. Rogers, M. M. Suzuki, A. Shaffer, T. M. Theobald and N. Reichek. Reduced sympathetic innervation underlies adjacent noninfarcted region dysfunction during left ventricular remodeling. *Journal of the American College of Cardiology* 30:1079-1085, 1997.

- Kramer, C. M., P. D. Nicol, W. J. Rogers, P. S. Seibel, C. S. Park and N. Reichek. Beta-blockade improves adjacent regional sympathetic innervation during postinfarction remodeling. *American Journal of Physiology Heart and Circulatory Physiology* 277:H1429-H1434, 1999.
- Krause, S.M., Lynch Jr., J.J., Stabilito, I.I., Woltmann, R.F.. Intravenous administration of the endothelin-1 antagonist BQ-123 does not ameliorate myocardial ischemic injury following acute coronary artery occlusion in the dog. *Cardiovascular Research* 28:1672-1678, 1994.
- Kreidstein, M. L., R. H. Levine, R. J. Knowlton and C. Y. Pang. Serial Fluorometric assessments of skin perfusion in isolated perfused human skin flaps. *British Journal Plastic Surgery* 48:288-293, 1995.
- Kuhle, W. G., G. Porenta, S. C. Huang, D. Buxton, S. S. Gambhir, H. Hansen, M. E. Phelps and H. R. Schelbert. Quantification of regional myocardial blood flow using ^{13}N -ammonia and reoriented dynamic positron emission tomographic imaging. *Circulation* 86:1004-1017, 1992.
- Kurdak, S.S., Grassi, B., Wagner, P.D., Hogan, M.C.. Effect of [Hb] on blood flow distribution and O₂ transport in maximally working skeletal muscle. *Journal of Applied Physiology* 79(5): 1729-1735, 1995.
- Kurdak, S. S., B. Grassi, P. D. Wagner and M. C. Hogan. Blood flow distribution in working in situ canine muscle during blood flow reduction. *Journal of Applied Physiology* 80:1978-1983, 1996.
- Kuwahira, I., N. C. Gonzalez, N. Heisler and J. Piiper. Regional blood flow in conscious resting rats determined by microsphere distribution. *Journal Applied Physiology* 74:203-210, 1993.
- Kuwahira, I., H. Mori, Y. Moue, Y. Shinozaki, Y. Ohta, H. Yamabayashi, H. Okino, N. C. Gonzalez, N. Heisler and J. Piiper. Cardiac output and regional blood flow measurement with nonradioactive microspheres by X-ray fluorescence spectrometry in rats. *Advances Experimental Medicine Biol.* 345:877-884, 1994.
- Kuwahira, I., Y. Moue, Y. Ohta and N. C. Gonzalez. Chronic hypoxia decreases heterogeneity of pulmonary blood flow distribution in rats. *Respiration Physiology* 104:2-3, 1996.
- Kvinnslund, S., K. Heyeraas and E. S. Ofjord. Effect of experimental tooth movement on periodontal and pulpal blood flow. *European Journal Orthod.* 11:200-205, 1989.
- Kvinnslund, S., A. B. Kristiansen, I. Kvinnslund and K. J. Heyeraas. Effect of experimental traumatic occlusion on periodontal and pulpal blood flow. *Acta Odontol Scand.* 50:211-219, 1992.
- Kvinnslund, S., I. Kvinnslund and A. B. Kristiansen. Effect of experimental traumatic occlusion on blood flow in the temporomandibular joint of the rat. *Acta Odontol Scand.* 51:293-298, 1993.
- Laham, R. J., M. Simons, M. Tofukuji, D. Hung and F. W. Sellke. Modulation of myocardial perfusion and vascular reactivity by pericardial basic fibroblast growth factor: Insight into ischemia-induced reduction in endothelium-dependent vasodilatation. *Journal of Thoracic and Cardiovascular Surgery* 116:1022-1028, 1998.
- Lakshminarayan, S., S. Bernard, N. L. Polissar and R. W. Glenny. Pulmonary and bronchial circulatory responses to segmental lung injury. *Journal of Applied Physiology* 87:1931-1936, 1999.
- Lazarous, D. F., M. Shou, J. A. Stiber, E. Hodge, V. Thirumurti, L. Goncalves and E. F. Unger. Adenoviral-mediated gene transfer induces sustained pericardial VEGF expression in dogs: effect on myocardial angiogenesis. *Cardiovascular Research* 44:294-302, 1999.

- Lee, J., R. N. Gates, H. Laks, D. C. Drinkwater, E. Rhudis, A. Aharon, A. Ardehali and P. Chang. A comparison of distribution between simultaneously or sequentially delivered antegrade/retrograde blood cardioplegia. *Journal of Cardiac Surgery* 11:111-115, 1996.
- Li, D. S., A. C. Yong and D. Kilpatrick. Validation of a subendocardial ischaemic sheep model by intracoronary fluorescent microspheres. *Clinical & Experimental Pharmacology & Physiology* 23:111-118, 1996.
- Lieb, J. I., P. Chichester, B. Kogan, A. K. Das, R. E. Leggett, A. Schroder and R. M. Levin. Rabbit urinary bladder blood flow changes during the initial stage of partial outlet obstruction. *Journal of Urology* 164:1390-1397, 2000.
- Liu, Y. M., P. H. Guth, K. Kaneko, E. H. Livingston and F. C. Brunicaudi. Dynamic in vivo observation of rat islet microcirculation. *Pancreas* 8:15-21, 1993.
- Liu, Y. H., R. C. Bahn and E. L. Ritman. Microvascular blood volume-to-flow relationships in porcine heart wall: whole body CT evaluation in vivo. *American Journal Physiology* 269:H1820-H826., 1995.
- Liu, S. X. L., C. H. Chiang, Q. S. Yao and G. C. Y. Chiou. Increase of ocular blood flow by some phytogetic compounds. *Journal of Ocular Pharmacology and Therapeutics*. 12:95-101, 1996.
- Lossec, G., C. Duchamp, Y. Lebreton and P. Herpin-. Postnatal changes in regional blood flow during cold-induced shivering in sow-reared piglets. *Canadian Journal of Physiology and Pharmacology* 77:414-421, 1999.
- Luchtel, D. L., J. C. Boykin, S. L. Bernard and R. W. Glenny. Histological methods to determine blood flow distribution with fluorescent microspheres. *Biotech Histochem*. 73:291-309, 1998.
- Mahgoub, M. A., J. H. Guo, S. P. Gao, M. M. Taher, D. D. Salter, A. S. Wechsler and A. S. Abd-Elfattah. Hyperdynamic circulation of arteriovenous fistula preconditions the heart and limits infarct size. *Annals of Thoracic Surgery* 68:22-28, 1999.
- Main, M. L., J. F. Escobar, S. A. Hall, A. L. Killam and P. A. Grayburn. Detection of myocardial perfusion defects by contrast echocardiography in the setting of acute myocardial ischemia with residual antegrade flow. *Journal of the American Society of Echocardiography*. 11:228-235, 1998.
- Mann, C. M., K. B. Domino, S. M. Walther, R. W. Glenny, N. L. Polissar and M. P. Hlastala. Redistribution of pulmonary blood flow during unilateral hypoxia in prone and supine dogs. *Journal of Applied Physiology* 84:2010-2019, 1998.
- Mannion, J. D., P. D. Buckman, M. G. Magno and F. Dimeo. Collateral blood flow from skeletal muscle to normal myocardium. *Journal Surgery Research* 53:578-587., 1992.
- Mannion, J. D., M. G. Magno, P. D. Buckman, F. DiMeo, R. Greene, M. Bowers, M. McHugh and H. Menduke. Acute electrical stimulation increases extramyocardial collateral blood flow after a cardiomyoplasty. *Annals Thoracic Surgery* 56:1351-1358., 1993.
- Marber, M. S., D. M. Walker, D. J. Eveson, J. M. Walker and D. M. Yellon. A single five minute period of rapid atrial pacing fails to limit infarct size in the in situ rabbit heart. *Cardiovascular Research* 27:597-601, 1993.
- Marshall, W. G., G. B. Boatman, G. Dickerson, A. Perlin, E. P. Todd and J. R. Utley. Shunting, release, and distribution of nine and fifteen micron spheres in myocardium. *Surgery* 79:631-637, 1976.
- Masuda, Y., M. Ozaki and T. Oguma. Alteration of hepatic microcirculation by oxethazaine and some vasoconstrictors in the perfused rat liver. *Biochemical Pharmacology* 53:1779-1787, 1997.

- Masugata, H., B. Cotter, B. Peters, K. Ohmori, K. Mizushige and A. N. DeMaria. Assessment of coronary stenosis severity and transmural perfusion gradient by myocardial contrast echocardiography - Comparison of gray-scale B-mode with power Doppler imaging. *Circulation*102:1427-1433, 2000.
- Maxwell, L. C., A. P. Shepherd, G. L. Riedel and M. D. Morris. Effect of microsphere size on apparent intramural distribution of intestinal blood flow. *American Journal Physiology* 241:H408-H414, 1981.
- Maxwell, A. J., E. Schauble, D. Bernstein and J. P. Cooke. Limb blood flow during exercise is dependent on nitric oxide. *Circulation*98:369-374, 1998.
- Mazhari, R., J. H. Omens, L. K. Waldman and A. D. McCulloch. Regional myocardial perfusion and mechanics: A model-based method of analysis. *Annals of Biomedical Engineering*. 26:743-755, 1998.
- Mazoit, J. X., R. LeGuen, A. Decaux, P. Albaladejo and K. Samii. Application of HPLC to counting of colored microspheres in determination of regional blood flow-Special Communication. *American Journal of Physiology Heart and Circulatory Physiology* 45:H1041-H1047, 1998.
- McCrabb, G. J. and R. Harding. Cerebral blood flow is increased throughout 12 h of hypoxaemia in the mid-gestation ovine fetus. *Reprod Fertil Dev*. 7:463-467, 1995.
- McCrabb, G. J. and R. Harding. Role of nitric oxide in the regulation of cerebral blood flow in the ovine foetus. *Clinical and Experimental Pharmacology and Physiology* 23:10-11, 1996.
- McCrabb, G. J. and R. Harding. Cerebral oxygen delivery is reduced during the acidaemia associated with prolonged hypoxaemia in the immature ovine fetus. *Biology of The Neonate*. 71:385-394, 1997.
- McCulloch, A. D., D. Sung, J. M. Wilson, R. S. Pavelec and J. H. Omens. Flow-function relations during graded coronary occlusions in the dog: effects of transmural location and segment orientation. *Cardiovascular Research* 37:636-645, 1998.
- McHugh, N. A., A. Solowiej, R. E. Klabunde and G. F. Merrill. Acute coronary vascular and myocardial perfusion effects of conjugated equine estrogen in the anesthetized dog. *Basic Research in Cardiology*. 93:470-476, 1998.
- McMahan, C. A., L. C. Maxwell and A. P. Shepherd. Estimation of the distribution of blood vessel diameters from the arteriovenous passage of microspheres. *Biometrics*. 42:371-380, 1986.
- Medvedev, O. S., E. R. Martynova, R. S. Akchurin and V. Y. Khalatov. Experimental estimation of chronic microsphere loss from the rat myocardium. *Biull. Eksp. Biol. Med*. 103:8-10, 1987.
- Meissner, A., T. P. Weber, H. VanAken, K. Zbieranek and N. Rolf. Clonidine improves recovery from myocardial stunning in conscious chronically instrumented dogs. *Anesthesia and Analgesia*. 87:1009-1014, 1998.
- Meissner, A., T. P. Weber, H. Van-Aken and N. Rolf. Limited upper thoracic epidural block and splanchnic perfusion in dogs. *Anesthesia and Analgesia*. 89:1378-1381, 1999.
- Melsom, M. N., J. Kramer-Johansen, T. Flatebo, C. Muller and G. Nicolaysen. Distribution of pulmonary ventilation and perfusion measured simultaneously in awake goats [published erratum appears in *Acta Physiology Scand* 1997 Jul;160(3):297]. *Acta Physiology Scand*. 159:199-208, 1997.
- Melsom, M. N., T. Flatebo, O. V. Sjaastad, A. Aulie and G. Nicolaysen. Minor redistribution of ventilation and perfusion within the lung during exercise in sheep [In Process Citation]. *Acta Physiology Scand*. 165:283-92, 1999.

Melsom, M. N., T. Flatebo and G. Nicolaysen. Hypoxia and hyperoxia both transiently affect distribution of pulmonary perfusion but not ventilation in awake sheep. *Acta Physiologica Scandinavica*. 166:151-158, 1999.

Mercer, D. W., K. Klemm, J. M. Cross, G. S. Smith, M. Cashman and T. A. Miller. Cholecystokinin-induced protection against gastric injury is independent of endogenous somatostatin. *American Journal of Physiology Gastrointestinal and Liver Physiology* 34:G692-G700, 1996.

Meyns, B., Y. Nishimura, R. Racz, R. Jashari and W. Flameng. Organ perfusion with hemopump device assistance with and without intraaortic balloon pumping. *Journal of Thoracic and Cardiovascular Surgery* 114:243-253, 1997.

Miglierina, R. Some applications of microspheres in flow cytometry. *Biol Cell*. 58:127-30, 1986.

Miller, S. L., K. Dickson, G. Jenkin and D. W. Walker. Physiological evidence for arteriovenous anastomoses in the uterine circulation of late-pregnant ewes. *Clinical and Experimental Pharmacology and Physiology* 25:92-98, 1998.

Mitsumaru, A., R. Yozu, Y. Inoue, S. Tanaka, H. Yoshito, K. Kanda, Y. Sutsui, N. Tsutsui and S. Kawada. Experimental study of combination of extraaortic balloon counterpulsation and ventricular assist cup to acute heart failure in dogs. *Asaio Journal* 43:187-192, 1997.

Mitzner, W., W. Lee, D. Georgakopoulos and E. Wagner. Angiogenesis in the mouse lung. *American Journal of Pathology*. 157:93-101, 2000.

Miyamae, M., H. Fujiwara, M. Kida, R. Yokota, M. Tanaka, M. Katsuragawa, K. Hasegawa, M. Ohura, K. Koga, Y. Yabuuchi and et al. Preconditioning improves energy metabolism during reperfusion but does not attenuate myocardial stunning in porcine hearts. *Circulation* 88:223-34., 1993.

Miyataka, M., K. Ishikawa and R. Katori. Basic fibroblast growth factor increased regional myocardial blood flow and limited infarct size of acutely infarcted myocardium in dogs. *Angiology* 49:381-390, 1998.

Miyamae, Fujiwara, Kida, Yokota, Tanaka, Katsuragawa, Hasegawa, Ohura, Koga, Yabuuchi, and Sasayama. Preconditioning improves energy metabolism during reperfusion but does not attenuate myocardial stunning in porcine hearts. *Circulation* 88:223-234, 1993.

Moon, P. F., M. M. Ramsay and P. W. Nathanielsz. Intravenous infusion of magnesium sulfate and regional redistribution of fetal blood flow during maternal hemorrhage in late-gestation gravid ewes. *American Journal of Obstetrics and Gynecology*. 181:1286-1494, 1999.

Moore, R. M., J. Hardy and W. W. Muir. Mural blood flow distribution in the large colon of horses during low-flow ischemia and reperfusion. *American Journal Vet Research* 56:812-8, 1995.

Moore, C. C., E. R. McVeigh and E. A. Zerhouni. Noninvasive measurement of three-dimensional myocardial deformation with tagged magnetic resonance imaging during graded local ischemia. *Journal of Cardiovascular Magnetic Resonance*. 1:207-222, 1999.

Mor-Avi, V., D. David, S. Akselrod, Y. Bitton and I. Choshniak. Myocardial regional blood flow: quantitative measurement by computer analysis of contrast enhanced echocardiographic images. *Ultrasound Medicine Biol*. 19:619-33, 1993.

Mori, H., S. Haruyama, Y. Shinozaki, H. Okino, A. Iida, R. Takanashi, I. Sakuma, W. K. Husseini, B. D. Payne and J. I. Hoffman. New nonradioactive microspheres and more sensitive X-ray fluorescence to measure regional blood flow. *American Journal Physiology* 263:H1946-57, 1992.

- Mori, H., S. Haruyama, Y. Shinozaki, H. Sakamoto, H. Okino, R. Takanashi and I. Sakuma. [Regional blood flow measurement with nonradioactive microspheres]. *Kokyu To Junkan*. 40:957-61., 1992.
- Mori, H., S. Haruyama, Y. Shinozaki, H. Sakamoto, M. Chujo and I. Kuwahira. [Practice of the flow measurement using nonradioactive microspheres and X-ray fluorescence spectrometer]. *Kokyu To Junkan*. 41:447-50, 1993.
- Mori, H., M. Chujo, S. Haruyama, H. Sakamoto, Y. Shinozaki, M. Uddin-Mohammed, A. Iida and H. Nakazawa. Local continuity of myocardial blood flow studied by monochromatic synchrotron radiation-excited x-ray fluorescence spectrometry. *Circulation Research* 76:1088-100, 1995.
- Morita, Y., B. D. Payne, G. S. Aldea, C. McWatters, W. Husseini, H. Mori, J. I. Hoffman and L. Kaufman. Local blood flow measured by fluorescence excitation of nonradioactive microspheres. *American Journal Physiology* 258:H1573-84, 1990.
- Moros, E. G., A. W. Dutton, R. B. Roemer, M. Burton and K. Hynnen. Experimental evaluation of two simple thermal models using hyperthermia in muscle in vivo. *International Journal Hyperthermia*. 9:581-98., 1993.
- Mortola, J. P., D. Merazzi and L. Naso. Blood flow to the brown adipose tissue of conscious young rabbits during hypoxia in cold and warm conditions. *Pflugers Archiv European Journal of Physiology* 437:255-260, 1999.
- Mulder, T. L. M., J. C. vanGolde, F. W. Prinzen and C. E. Blanco. Cardiac output distribution in the chick embryo from stage 36 to 45. *Cardiovascular Research* 34:525-528, 1997.
- Mulder, A. L. M., J. C. vanGolde, F. W. Prinzen and C. E. Blanco. Cardiac output distribution in response to hypoxia in the chick embryo in the second half of the incubation time. *Journal of Physiology-London*. 508:281-287, 1998.
- MunchEllingsen, J., E. Bugge and K. Ytrehus. Blockade of the K-ATP-channel by glibenclamide aggravates ischemic injury, and counteracts ischemic preconditioning. *Basic Research In Cardiology*. 91:382-388, 1996.
- Murata, Y., K. Fujimori, E. J. Quilligan, N. Nagata, S. Ibara, T. Hirano and T. Kamimura. Cardiac oxygenation by extracorporeal membrane oxygenation in exteriorized fetal lambs. *American Journal of Obstetrics and Gynecology* 174:864-870, 1996.
- Nabavi, D. G., A. Cenic, J. Dool, R. M. L. Smith, F. Espinosa, R. A. Craen, A. W. Gelb and T. Y. Lee. Quantitative assessment of cerebral hemodynamics using CT: Stability, accuracy, and precision studies in dogs. *Journal of Computer Assisted Tomography*. 234:506-515, 1999.
- Nagai, H., T. Nakashima, T. Suzuki and N. Yanagita. Effect of increased middle ear pressure on blood flow to the middle ear, inner ear and facial nerve in guinea pigs. *Acta Oto Laryngologica*. 116:439-442, 1996.
- Nakache, R., V. Rudick, D. Fiodorov, J. M. Klausner, N. Almogy, E. Karckevski and A. A. Weinbroum. Cumulative damaging effect of liver hypoperfusion and cyclosporine A on the peribiliary capillary plexus - A study in an isolated dually perfused rat model. *Transplantation* 68:1651-1660, 1999.
- Nakai, S., K. Ishikawa, I. Ogawa, H. Koka, N. Kamata, H. Akiyama and R. Katori. New collateral flow increasing early after coronary occlusion prevented myocardial necrosis in dogs. *Heart Vessels*. 10:171-7, 1995.
- Nakajima, Y., N. Akizuki, Y. Kimura, H. Kohguchi, A. Tanaka, M. Chujo, N. Hattan, Y. Shinozaki, A. Iida, S. Handa, H. Nakazawa and H. Mori. Intramyocardial vascular volume distribution studied by

synchrotron radiation-excited X-ray fluorescence. *American Journal of Physiology Heart and Circulatory Physiology* 277:H2353-H2362, 1999.

Nakashima, T., T. Suzuki and N. Yanagita. Cochlear blood flow under increased inner ear pressure. *Annals Otol Rhinol Laryngol.* 100:394-7., 1991.

Nakashima, T., T. Suzuki, H. Morisaki and N. Yanagita. Blood flow in the cochlea, vestibular apparatus and facial nerve. *Acta Otolaryngol Stockholm* 111:738-42, 1991.

Nakashima, T., K. Asami, K. Akanabe, K. Kuno, H. Nagai and N. Yanagita. Effect of carbon dioxide on facial nerve blood flow in rabbits. *Acta Otolaryngol Stockholm* 115:40-3., 1995.

Naredi, P., J. Mattson, L. Hafstrom and L. Jacobsson. Evaluation of blood flow measurements with microspheres and rubidium-an experimental study in rats. *International Journal Microcirculation Clinical Experimental.* 9:423- 37, 1990.

Nellis, S. H., K. L. Carroll and A. M. Eggleston. Measurement of phasic velocities in vessels of intact freely beating hearts. *American Journal Physiology* 260:H1264-75, 1991.

Neumann, T. and G. Heusch. Myocardial, skeletal muscle, and renal blood flow during exercise in conscious dogs with heart failure. *American Journal of Physiology Heart and Circulatory Physiology* 42:H2452-H2457, 1997.

Nohara, R., K. Okuda, M. Ogino, R. Hosokawa, N. Tamaki, J. Konishi, Y. Fujibayashi, Y. Yonekura, M. Fujita and S. Sasayama. Evaluation of myocardial viability with iodine-123-BMIPP in a canine model. *Journal of Nuclear Medicine.* 37:1403-1407, 1996.

Nose, Y., T. Nakamura and M. Nakamura. The microsphere method facilitates statistical assessment of regional blood flow. *Basic Research Cardiol.* 80:417-29, 1985.

Okuda, K., Nohara, R., Fujita, M., Tamaki, N., Konishi, J., and Sasayama, S. Improvement of myocardial ischemic dysfunction with dichloroacetic acid: Experimental study by repeated ischemia in dogs. *Journal Cardiovascular Pharmacol* 26:990-999, 1995.

Okuda, K., R. Nohara, M. Fujita, N. Tamaki, J. Konishi and S. Sasayama. Technetium-99m-pyrophosphate uptake as an indicator of myocardial injury without infarct. *Journal Nuclear Medicine.* 35:1366-70., 1994.

Oohara, K., A. Usui, M. Tanaka, T. Abe and M. Murase. Determination of organ blood flows during retrograde inferior vena caval perfusion. *Annals Thoracic Surgery* 58:139-45., 1994.

Oohara, K., A. Usui, M. Murase, M. Tanaka and T. Abe. Regional cerebral tissue blood flow measured by the colored microsphere method during retrograde cerebral perfusion. *Journal Thoracic Cardiovascular Surgery* 109:772-9., 1995.

Ooiwa, H., T. Miura, T. Iwamoto, T. Ogawa, R. Ishimoto, T. Adachi and O. Iimura. Superoxide dismutase attenuated post-ischaemic contractile dysfunction in a myocardial xanthine oxidase deficient species. *Clinical Experimental Pharmacol Physiology* 19:119-25., 1992.

Orgul, S., G. A. Cioffi, D. R. Bacon, A. Bhandari and E. M. VanBuskirk. Measurement of optic nerve blood flow with nonradioactive colored microspheres in rabbits. *Microvascular Research* 51:175-186, 1996.

Orgul, S., G. A. Cioffi, D. J. Wilson, D. R. Bacon and E. M. VanBuskirk. An endothelin-1 induced model of optic nerve ischemia in the rabbit. *Investigative Ophthalmology & Visual Science* 37:1860-1869, 1996.

- Orgul, S., G. A. Cioffi, D. R. Bacon and E. M. VanBuskirk. An endothelin-1-induced model of chronic optic nerve ischemia in rhesus monkeys. *Journal of Glaucoma*. 5:135-138, 1996.
- Ozaki, S., B. Meyns, R. Racz, E. Verbeken, V. Leunens, P. Dohmen and W. Flameng. Effect of transmyocardial laser revascularization on chronic ischemic hearts in sheep. *European Journal of Cardio Thoracic Surgery* 18:404-410, 2000.
- Pinkerton, K. E., J. T. Gallen, R. R. Mercer, V. C. Wong, C. G. Plopper and B. K. Tarkington. Aerosolized fluorescent microspheres detected in the lung using confocal scanning laser microscopy. *Microsc Research Tech.* 26:437-43, 1993.
- Pisarri, T. E., H. M. Coleridge and J. C. Coleridge. Reflex bronchial vasodilation in dogs evoked by injection of a small volume of water into a bronchus. *Journal Applied Physiology* 75:2195-202., 1993.
- Powers, K. M., C. Schimmel, R. W. Glenny and C. M. Bernards. Cerebral blood flow determinations using fluorescent microspheres: variations on the sedimentation method validated. *Journal of Neuroscience Methods*. 87:159-165, 1999.
- Preckel, B., W. Schlack, D. Obal, H. Barthel, D. Ebel, S. Grunert and V. Thamer. Effect of acidotic blood reperfusion on reperfusion injury after coronary artery occlusion in the dog heart. *Journal of Cardiovascular Pharmacology* 31:179-186, 1998.
- Preckel, B., W. Schlack, M. Gonzalez, D. Obal, H. Barthel and V. Thamer. Influence of the angiotensin II AT(1) receptor antagonist irbesartan on isehemia/reperfusion injury in the dog heart. *Basic Research In Cardiology*. 95:404-412, 2000.
- Presson, R. G., Jr., J. A. Graham, C. C. Hanger, P. S. Godbey, S. A. Gebb, R. A. Sidner, R. W. Glenny and W. W. Wagner, Jr. Distribution of pulmonary capillary red blood cell transit times. *Journal Applied Physiology* 79:382-8, 1995.
- Pries, A. R., K. Ley, M. Claassen and P. Gaehtgens. Red cell distribution at microvascular bifurcations. *Microvasc Research* 38:81-101, 1989.
- Prinzen, F. W. and R. W. Glenny. Developments in non-radioactive microsphere techniques for blood flow measurement. *Cardiovascular Research* 28:1467-75, 1994.
- Prinzen, F. W. and J. B. Bassingthwaigte. Blood flow distributions by microsphere deposition methods. *Cardiovascular Research* 45:13-21, 2000.
- Quinones, A. and B. J. Cheirif. New perspectives for perfusion imaging in echocardiography. *Circulation*83:III104-10, 1991.
- Raab, S., E. Thein, A. G. Harris and K. Messmer. A new sample-processing unit for the fluorescent microsphere method. *American Journal of Physiology Heart and Circulatory Physiology* 45:H1801-H1806, 1999.
- Rao, P. V., R. F. Stahl, B. R. Soller, K. G. Shortt, C. Hsi, K. J. Cotter, J. M. BelleIsle and J. M. Moran. Retrograde abdominal visceral perfusion: Is it beneficial? *Annals of Thoracic Surgery* 60:1704-1708, 1995.
- Rasmussen, O., F. F. Lauszus, C. Christiansen, C. Thomsen and K. Hermansen. Differential Effects of Saturated and Monounsaturated Fat on Blood Glucose and Insulin Responses In Subjects With Non-Insulin-Dependent Diabetes Mellitus. *American Journal of Clinical Nutrition*. 63:249-253, 1996.

- Rattigan, S., G. J. Appleby, K. A. Miller, J. T. Steen, K. A. Dora, E. Q. Colquhoun and M. G. Clark. Serotonin inhibition of 1-methylxanthine metabolism parallels its vasoconstrictor activity and inhibition of oxygen in perfused rat hindlimb. *Acta Physiologica Scandinavica*. 161:161-169, 1997.
- Reeves, W. J. and K. Rakusan. Myocardial capillary flow pattern as determined by the method of coloured microspheres. *Advances. Experimental. Medicine. Biol.* 222:447-53, 1988.
- Reinhardt, C. P., S. Dalhberg, M. A. Tries, R. Marcel and J. A. Leppo. Stable labeled microspheres to measure perfusion: validation of a neutron activation assay technique. *American Journal Physiology Heart Circulation Physiology* 280:H108-H116, 2001.
- Revelly, J. P., T. Ayuse, N. Brienza, H. E. Fessler and J. L. Robotham. Endotoxic shock alters distribution of blood flow within the intestinal wall. *Critical Care Medicine*. 24:1345-1351, 1996.
- Revelly, J. P., L. Liaudet, P. Frascarolo, J. M. Joseph, O. Martinet and M. Markert. Effects of norepinephrine on the distribution of intestinal blood flow and tissue adenosine triphosphate content in endotoxic shock. *Critical Care Medicine*. 28:2500-2506, 2000.
- Richer, C., V. Domergue, M. Gervais, P. Bruneval and J. F. Giudicelli. Fluospheres for cardiovascular phenotyping genetically modified mice. *Journal Of Cardiovascular Pharmacology* 36:396-404, 2000.
- Ring, G. C., A. S. Blum, T. Kurbatov, W. G. Moss and W. Smith. Size of microspheres passing through pulmonary circuit in the dog. *American Journal of Applied Physiology* 200:1191-1196, 1961.
- Robertson, H. T., R. W. Glenny, D. Stanford, L. M. McInnes, D. L. Luchtel and D. Covert. High-resolution maps of regional ventilation utilizing inhaled fluorescent microspheres. *Journal of Applied Physiology* 82:943-953, 1997.
- Robertson, H. T., W. A. Altemeier and R. W. Glenny. Physiological implications of the fractal distribution of ventilation and perfusion in the lung. *Annals of Biomedical Engineering*. Aug. 28:1028-1031, 2000.
- Rolf, N., M. VandeVelde, P. F. Wouters, T. Mollhoff, T. P. Weber and H. K. VanAken. Thoracic epidural anesthesia improves functional recovery from myocardial stunning in conscious dogs. *Anesthesia and Analgesia*. 83:935-940, 1996.
- Rolf, N., A. Meissner, H. VanAken, T. P. Weber, D. Hammel and T. Mollhoff. The effects of thoracic epidural anesthesia on functional recovery from myocardial stunning in propofol-anesthetized dogs. *Anesthesia and Analgesia* 84:723-729, 1997.
- Rose, J. and Heusch, G.. Attenuation of regional myocardial stunning by felodipine. *Cardiovascular Drugs Ther* 20:1549-1555, 1996.
- Rose, J., T. Ehring, S. G. Sakka, A. Skyschally and G. Heusch. Aspirin does not prevent the attenuation of myocardial stunning by the ACE inhibitor ramiprilat. *Journal of Molecular and Cellular Cardiology* 28:603-613, 1996.
- Rovainen, C. M., T. A. Woolsey, N. C. Blocher, D. B. Wang and O. F. Robinson. Blood flow in single surface arterioles and venules on the mouse somatosensory cortex measured with videomicroscopy, fluorescent dextrans, nonoccluding fluorescent beads, and computer-assisted image analysis. *Journal Cerebral Blood Flow Metabolism*. 13:359-71, 1993.
- Rudis, E., R. N. Gates, H. Laks, D. C. Drinkwater, A. Ardehali, A. Aharon and P. Chang. Coronary sinus ostial occlusion during retrograde delivery of cardioplegic solution significantly improves cardioplegic distribution and efficacy [see comments]. *Journal Thoracic Cardiovascular Surgery* 109:941-6; discussion 946-7., 1995.

Rudolph, A. M. and M. A. Heymann. The circulation of the fetus in utero. Methods for studying distribution of blood flow, cardiac output and organ blood flow. *Circulation Research* 21:163-84, 1967.

Saida, A., H. Ito, T. Shibuya and Y. Watanabe. Time-course alterations of monoamine levels and cerebral blood flow in brain regions after subarachnoid hemorrhage in rats. *Brain Research Bulletin*. 43:69-80, 1997.

Saitou, H., T. Watanabe, J. W. Zhang, N. Oshikiri, Y. Iijima, K. Inui, S. Kuraoka and Y. Shimazaki. Regional tissue blood flow and pH in the brain during deep hypothermic retrograde brain perfusion. *Journal of Surgical Research* 72:135-140, 1997.

Sakaki, M., Y. Taenaka, E. Tatsumi, T. Nakatani, M. Kinoshita, H. Akagi, T. Masuzawa, Y. Matsuo, K. Inoue, Y. Baba and et al. Pulmonary function in a non-pulsatile pulmonary circulation. *Asaio Journal* 38:M366-9., 1992.

Sakka, S. G., D. R. Wallbridge and G. Heusch. Methods for the measurement of coronary blood flow and myocardial perfusion - Glossary. *Basic Research In Cardiology*. 91:155-178, 1996.

Sakurai, H., L. D. Traber and D. L. Traber. Altered systemic organ blood flow after combined injury with burn and smoke inhalation. *Shock*. 9:369-374, 1998.

Salmons, S., A. T. M. Tang, J. C. Jarvis, H. Degens, M. Hastings and T. L. Hooper. Morphological and functional evidence, and clinical importance, of vascular anastomoses in the latissimus dorsi muscle of the sheep. *Journal of Anatomy*. 193:93-104, 1998.

Sato, M., T. Saito, M. Mitsugi, S. I. Saitoh, T. Niitsuma, K. Maehara and Y. Maruyama. Effects of cardiac contraction and coronary sinus pressure elevation on collateral circulation. *American Journal of Physiology Heart and Circulatory Physiology* 40:H1433-H1440, 1996.

Sanz, E., Dorado, D.G., Oliveras, J., Barrabés, J.A., Gonzalez, M.A., Ruiz-Meana, M., Solares, J., Carreras, M.J., Garcia-Lafuente, A., Desco, M., and Soler-Soler, J.. Dissociation between anti-infarct effect and anti-edema effect of ischemic preconditioning. *American Journal of Physiology* 37:H233-H241, 1995.

Sato, K., R. J. Laham, J. D. Pearlman, D. Novicki, F. W. Sellke, M. Simons and M. J. Post. Efficacy of intracoronary versus intravenous FGF-2 in a pig model of chronic myocardial ischemia. *Annals of Thoracic Surgery* 70:2113-2118, 2000.

Saxena, P. R. and P. D. Verdouw. Tissue blood flow and localization of arteriovenous anastomoses in pigs with microspheres of four different sizes. *Pflügeres Arch*. 403:128-135, 1985

Schenarts, P. J., H. G. Bone, L. D. Traber and D. L. Traber. Effect of severe smoke inhalation injury on systemic microvascular blood flow in sheep. *Shock*. 6:201-205, 1996.

Schlack, W., D. Ebel, S. Grunert, S. Haliovic, O. Meyer and V. Thamer. Effect of heart rate reduction by 4-(N-ethyl-n-phenylamino)-1,2-dimethyl-6-(methylamino)pyrimidinium chloride on infarctsize in dog. *Arzneimittel Forschung / Drug Research* 48:26-33,1998

Schmid-Schonbein, G. W., R. Skalak, S. Usami and S. Chien. Cell distribution in capillary networks. *Microvasc Research* 19:18-44, 1980.

Schosser, R., K. E. Arfors and K. Messmer. MIC-II - a program for the determination of cardiac output, arterio-venous shunt and regional blood flow using the radioactive microsphere method. *Comput Programs Biomed*. 9:19-38, 1979.

Schroder, A., P. Chichester, B. A. K. P. A. Longhurst, J. Lieb, A. K. Das and R. M. Levin. Effect of chronic bladder outlet obstruction on blood flow of the rabbit bladder. *Journal of Urology*. 165:640-646, 2001.

Schwab, M., M. Roedel, M. A. Anwar, T. Muller, H. Schubert, L. F. Buchwalder, B. Walter and P. W. Nathanielsz. Effects of betamethasone administration to the fetal sheep in late gestation on fetal cerebral blood flow. *Journal of Physiology London*. 528:619-632, 2000.

Sellke, F.W., Wang, S.Y., Stamler, A., Lopez, J.J., Li, J., Li, J. and Simons, M.. Enhanced microvascular relaxations to VEGF and bFGF in chronically ischemic porcine myocardium. *American Journal of Physiology* 271:H713-H720, 1996.

Schwanke, U., H. Strauss, G. Arnold and J. D. Schipke. Analysis of respiratory water - A new method for evaluation of myocardial energy metabolism. *Journal of Applied Physiology* 81:2115-2122, 1996.

Shabsigh, A., D. T. Chang, D. F. Heitjan, A. Kiss, C. A. Olsson, P. J. Puchner and R. Buttyan. Rapid reduction in blood flow to the rat ventral prostate gland after castration: Preliminary evidence that androgens influence prostate size by regulating blood flow to the prostate gland and prostatic endothelial cell survival. *Prostate*. 36:201-206, 1998.

Shimada, K., K. Yoshida, H. Tadokoro, S. Kitsukawa, A. Takami, K. Suzuki, S. Tanada and Y. Masuda. High-resolution cardiac PET in rabbits: Imaging and quantitation of myocardial blood flow. *Journal of Nuclear Medicine*. 39:2022-2027, 1998.

Shimada, K., K. Yoshida, H. Tadokoro, M. Ueda, M. Shiomi, S. Kitsukawa, A. Takami, R. Komatsu, K. Suzuki, S. Tanada and Y. Masuda. Adenosine-induced coronary flow reserve in Watanabe heritable hyperlipidemic rabbits. *Japanese Circulation Journal English Edition*. Dec. 64:971-976, 2000.

Shin, C., M. P. Kinsky, J. A. Thomas, D. L. Traber and G. C. Kramer. Effect of cutaneous burn injury and resuscitation on the cerebral circulation in an ovine model. *Burns*. 24:39-45, 1998.

Shivalkar, B., W. Flameng, M. Szilard, S. Pislaru, M. Borgers and J. Vanhaecke. Repeated stunning precedes myocardial hibernation in progressive multiple coronary artery obstruction. *Journal of the American College of Cardiology* 34:2126-2136, 1999.

Sidi, A. and W. Rush. An alternative to radioactive microspheres for measuring regional myocardial blood flow .1. colored microspheres. *Journal of Cardiothoracic & Vascular Anesthesia*. 10:368-373, 1996.

Sidi, A. and W. Rush. An alternative to radioactive microspheres for measuring regional myocardial blood flow .2. laser-doppler perfusion monitor. *Journal of Cardiothoracic & Vascular Anesthesia*. 10:374-377, 1996.

Simor, T., W. J. Chu, L. Johnson, A. Safranko, M. Doyle, G. M. Pohost and G. A. Elgavish. In vivo MRI visualization of acute myocardial ischemia and reperfusion in ferrets by the persistent action of the contrast agent Gd(BME-DTTA). *Circulation*92:3549-3559, 1995.

Slama, K., M. Gesch, J. C. Bock, S. M. Pietschmann, W. Schaffartzik and U. Pison. Unilateral lung edema: effects on pulmonary gas exchange, hemodynamics, and pulmonary perfusion distribution. *Journal of Applied Physiology* 89:1513-1521, 2000.

Smith, M. V., R. F. Stahl, C. Cronin, C. Hsi, J. M. Li, J. BelleIsle, M. Knox and T. J. Vander-Salm. Retrograde coronary sinus perfusion provides non-homogeneous myocardial blood flow. *Cardiology*. 83:331-8, 1993.

Souders, J. E., S. C. George, N. L. Polissar, E. R. Swenson and M. P. Hlastala. Tracheal gas exchange: perfusion-related differences in inert gas elimination. *Journal Applied Physiology* 79:918-28, 1995.

Souders, J. E., J. B. Doshier, N. L. Polissar and M. P. Hlastala. Spatial distribution of venous gas emboli in the lungs. *Journal of Applied* Nov 1999; 87 (5) : 1937-1947. 87:1937-1947, 1999.

Spinale, F. G., R. Tanaka, F. A. Crawford and M. R. Zile. Changes in myocardial blood flow during development of and recovery from tachycardia-induced cardiomyopathy. *Circulation*85:717-29, 1992.
Steinhausen, M., B. Zimmerhackl, H. Thederan, R. Dussel, N. Parekh, H. U. Esslinger, G. von-Hagens, D. Komitowski and F. D. Dallenbach. Intraglomerular microcirculation: measurements of single glomerular loop flow in rats. *Kidney International*. 20:230-9, 1981.

Stryer, L. and R. P. Haugland. Energy transfer: A spectroscopic ruler. *Proceedings. of the National Academy of Science* 58:719-726, 1967.

Suckfull, M., S. Holtmann and R. Hecht. A new method for measuring internal ear circulation using colored microspheres. *Laryngorhinootologie*. 74:141-4., 1995.

Suckfull-M., Winkler-G., Thein-E., Raab-S., Schorn-K. and Mees-K. Changes in serum osmolarity influence the function of outer hair cells. *Acta Oto Laryngologica* 119:316-321, 1999.

Suo, Z. M., J. Humphrey, A. Kundtz, F. Sethi, A. Placzek, F. Crawford and M. Mullan. Soluble Alzheimers beta-amyloid constricts the cerebral vasculature in vivo. *Neuroscience Letters*. 257:77-80, 1998.

Suzuki, T., T. Nakashima and N. Yanagita. Effects of increased cerebrospinal fluid pressure on cochlear and cerebral blood flow. *European Arch Otorhinolaryngol*. 250:332-6, 1993.

Svensson, A. M., C. G. Ostenson, S. Sandler, S. Efendic and L. Jansson. Inhibition of nitric oxide synthase by NG-nitro-L-arginine causes a preferential decrease in pancreatic islet blood flow in normal rats and spontaneously diabetic GK rats. *Endocrinology* 135:849-53., 1994.

Symons, J. D., S. D. Correa and S. Schaefer. Na-H exchange inhibition with cariporide limits functional impairment caused by repetitive ischemia. *Journal of Cardiovascular Pharmacology* 32:853-862, 1998.

Tabor, O. B., M. J. Bosse, K. G. Greene, H. E. Gruber, K. Kaysinger, S. H. Sims, S. R. Blumenthal and J. E. Kellam. Effects of surgical approaches for acetabular fractures with associated gluteal vascular injury. *Journal of Orthopaedic Trauma*. 12:78-84, 1998.

Takahata, O., K. Ichihara, Y. Abiko and H. Ogawa. Sevoflurane preserves endocardial blood flow during coronary ligation in dogs: comparison with adenosine. *Acta Anaesthesiologica Scandinavica*. 42:225-231, 1998.

Takanashi, H. and M. Akima. Protective effects of arbaprostil against indomethacin-induced gastric lesions in rats: significance of maintained gastric blood flow. *Japanese Journal Pharmacol* 59:349-55., 1992.

Takao, S., M. Maeda, M. Inoue, T. Fukushima, M. Tomonaga and Y. Hayashida. Spinal cord blood flow decreases following microinjection of sodium nitroprusside into the nucleus tractus solitarii of anesthetized rats. *Neuroscience Research* 25:285-291, 1996.

Tamaki, Y., E. Kawamoto, M. Araie, S. Eguchi and H. Fujii. [Noninvasive two-dimensional analysis of retinal microcirculation using the laser speckle phenomenon-II. Comparison of results with those obtained with the microsphere technique]. *Nippon Ganka Gakkai Zasshi* 98:169-74., 1994.

- Tan, W. P., K. W. Riggs, R. L. Thies and D. W. Rurak. Use of an automated fluorescent microsphere method to measure regional blood flow in the fetal lamb. *Canadian Journal of Physiology and Pharmacology* 75:959-968, 1997.
- Tan, D. Y., M. R. Cernadas, P. Aragoncillo, M. A. Castilla, M. V. A. Arroyo, A. J. L. Farre, S. Casado and C. Caramelo. Role of nitric oxide-related mechanisms in renal function in ageing rats. *Nephrology Dialysis Transplantation*. 13:594-601, 1998.
- Tanabe, T., T. Iwamoto, O. Iwata, M. Aikawa, S. Kusuzaki, S. Handa, Y. Shinozaki and H. Mori. Electrophysiologic and blood-flow responses in the endocardium and epicardium to disopyramide and MS-551 during myocardial ischemia in the dog. *Journal of Cardiovascular Pharmacology* 34:275-286, 1999.
- Tang, A. T. M., J. C. Jarvis, T. L. Hooper and S. Salmons. Observation and basis of improved blood flow to the distal latissimus dorsi muscle: a case for electrical stimulation prior to grafting. *Cardiovascular Research* 40:131-137, 1998.
- Tatsumi, E., K. Miyazaki, K. Toda, Y. Taenaka, T. Nakatani, Y. Baba, T. Masuzawa, Y. Wakisaka, K. Eya, T. Nishimura, Y. Takewa, T. Ohno and H. Takano. Influence of non pulsatile systemic circulation on tissue blood flow and oxygen metabolism. *Asaio Journal* 42:M757-M762, 1996.
- Thein, E., S. Raab, A. G. Harris and K. Messmer. Automation of the use of fluorescent microspheres for the determination of blood flow. *Computer Methods and Programs in Biomedicine* 61:11-21, 2000.
- Tio, R. A., T. Tkebuchava, T. H. Scheuermann, C. Leberherz, M. Magner, M. Kearny, D. D. Esakof, J. M. Isner and J. F. Symes. Intramyocardial gene therapy with naked DNA encoding vascular endothelial growth factor improves collateral flow to ischemic myocardium. *Human Gene Therapy* 10:2953-2960, 1999.
- Tokuda, N. and R. B. Levy. 1,25-dihydroxyvitamin D-3 stimulates phagocytosis but suppresses HLA-DR and CD13 antigen expression in human mononuclear phagocytes. *Proceedings of the Society For Experimental Biology and Medicine*. 211:244-250, 1996.
- Tong, H. Y. and C. E. Wood. Indomethacin attenuates the cerebral blood flow response to hypotension in late-gestation fetal sheep. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 277:R1268-R1273, 1999.
- Tretli, S. and M. Gaard. Lifestyle Changes During Adolescence and Risk of Breast Cancer - an Ecologic Study of the Effect of World War II In Norway. *Cancer Causes & Control*. 7:507-512, 1996.
- Tsumoto, S., S. Kawashima and T. Iwasaki. Unaltered size of right ventricular infarct in dogs with right ventricular hypertrophy induced by pressure overload. *American Journal Physiology* 268:H1781-7, 1995.
- Tsurumi, Y., Takeshita, S., Chen, D., Kearney, M., Rossow, S.T., Passeri, J., Horowitz, J.R., Symes, J.F., and Isner, J.M.. Direct intramuscular gene transfer of naked DNA encoding vascular endothelial growth factor augments collateral development and tissue perfusion. *Circulation* 94:3281-3290, 1996.
- Uchida, T., K. Yokoyama, K. Nakazawa and K. Makita. Inhaled nitric oxide during partial liquid ventilation shifts pulmonary blood flow to the non-dependent lung regions. *Intensive Care Medicine*. 26:764-769, 2000.
- Usui, K., T. Tanabe, S. Handa, Y. Shinozaki and H. Mori. Disproportional response between refractory period and blood flow to alpha(1) and beta-andrenoceptor blockade in canine ischemic myocardium. *Cardiovascular Drugs and Therapy*. 12:561-571, 1998.

- Utley, J., E. L. Carlson, J. I. Hoffman, H. M. Martinez and G. D. Buckberg. Total and regional myocardial blood flow measurements with 25 micron, 15 micron, 9 micron, and filtered 1-10 micron diameter microspheres and antipyrine in dogs and sheep. *Circulation Research* 34:391-405, 1974.
- Vahlhous, C., Schulz, R., Post, H., Ohallah, R., and Heusch, G.. No prevention of ischemic preconditioning by the protein kinase C inhibitor staurosporine in swine. *Circulation Research* 79:407-414, 1996.
- van Golde, J. M., T. A. Mulder, E. Scheve, F. W. Prinzen and C. E. Blanco. Hyperoxia and local organ blood flow in the developing chick embryo. *Journal Physiology (Lond)* 515:243-248, 1999.
- van Oosterhout, M. F. M. and F. W. Prinzen. The fluorescent microsphere method for determination of organ blood flow. *FASEB Journal* 8:A854, 1994.
- van Oosterhout, M. F., H. M. Willigers, R. S. Reneman and F. W. Prinzen. Fluorescent microspheres to measure organ perfusion: validation of a simplified sample processing technique. *Am Journal Physiology* 269:H725-33, 1995.
- van Oosterhout, M. F. M., F. W. Prinzen, S. Sakurada, R. W. Glenny and J. R. S. Hales. Fluorescent microspheres are superior to radioactive microspheres in chronic blood flow measurements. *American Journal of Physiology Heart and Circulatory Physiology* 44:H110-H115, 1998.
- Vandevska-Radunovic, V., A. B. Kristiansen, K. J. Heyeraas and S. Kvinnsland. Changes in blood circulation in teeth and supporting tissues incident to experimental tooth movement. *European Journal Orthodontics* 16:361-9, 1994.
- Vandevska-Radunovic, V., I. H. Kvinnsland and S. Kvinnsland. Effect of inferior alveolar nerve axotomy on periodontal and pulpal blood flow subsequent to experimental tooth movement in rats. *Acta Odontologica Scandinavica* 56:57-64, 1998.
- vanDoorn, C. A. M., H. Degens, M. S. Bhabra, C. B. W. Till, T. E. Shaw, J. C. Jarvis, S. Salmons and T. L. Hooper. Intramural blood flow of skeletal muscle ventricles functioning as aortic counterpulsators. *Annals of Thoracic Surgery* 64:86-93, 1997.
- Vertrees, R. A., A. Bidani, D. J. Deyo, W. Tao and J. B. Zwischenberger. Venovenous perfusion-induced systemic hyperthermia: Hemodynamics, blood flow, and thermal gradients. *Annals of Thoracic Surgery* Aug 2000; 70 (2) : 644-652. 70:644-652, 2000.
- Vescovo, G., C. Ceconi, P. Bernocchi, R. Ferrari, U. Carraro, G. B. Ambrosio and L. DallaLibera. Skeletal muscle myosin heavy chain expression in rats with monocrotaline-induced cardiac hypertrophy and failure. Relation to blood flow and degree of muscle atrophy. *Cardiovascular Research* 39:233-241, 1998.
- Viroonchatapan, E., H. Sato, M. Ueno, I. Adachi, K. Tazawa and I. Horikoshi. Magnetic targeting of thermosensitive magnetoliposomes to mouse livers in an in situ on-line perfusion system. *Life Sciences*. 58:2251-2261, 1996.
- Walker, D. M., J. M. Walker and D. M. Yellon. Global myocardial ischemia protects the myocardium from subsequent regional ischemia. *CardioScience* 4:263-6., 1993.
- Walland, A., H. Weihs and E. Mutschler. Perfusion pressure and transmural flow distribution in the left ventricles of isolated rat hearts. *Clinical Experimental Pharmacol Physiology* 20:723-9, 1993.
- Waller, C., K. H. Hiller, S. Voll, A. Haase, G. Ertl and W. R. Bauer. Myocardial perfusion imaging using a non-contrast agent MR imaging technique. *International Journal of Cardiac Imaging* 17:123-132, 2001.

Walter, D. H., U. Hink, T. Asahara, E. VanBelle, J. Horowitz, Y. Tsurumi, R. Vandlen, H. Heinsohn, B. Keyt, N. Ferrara, J. F. Symes and J. M. Isner. The in vivo bioactivity of vascular endothelial growth factor vascular permeability factor is independent of N-linked glycosylation. *Laboratory Investigation*. 74:546-556, 1996.

Walter, B., R. Bauer, E. Gaser and U. Zwiener. Validation of the multiple colored microsphere technique for regional blood flow measurements in newborn piglets. *Basic Research in Cardiology*. 92:191-200, 1997.

Walther, S., K. Domino, R. Glenny, N. Polissar and M. Hlastala. Pulmonary blood flow distribution has a hilar-to-peripheral gradient in awake, prone sheep. *Journal Applied. Physiology* 82:678-685, 1997.

Walther, S. M., K. B. Domino, R. W. Glenny and M. P. Hlastala. Pulmonary blood flow distribution in sheep: Effects of anesthesia, mechanical ventilation, and change in posture. *Anesthesiology*. 87:335-342, 1997.

Walther, S. M., K. B. Domino, R. W. Glenny and M. P. Hlastala. Positive end-expiratory pressure redistributes perfusion to dependent lung regions in supine but not in prone lambs. *Critical Care Medicine*. 27:37-45, 1999.

Wang, X. J., F. Q. Li, S. Said, J. M. Capasso and A. M. Gerdes. Measurement of regional myocardial blood flow in rats by unlabeled microspheres and Coulter Channelyzer. *American Journal of Physiology Heart and Circulatory Physiology* 40:H1656-H1665, 1996.

Wank, V., R. Bauer, B. Walter, H. Kluge, M. S. Fischer, R. Blickhan and U. Zwiener. Accelerated contractile function and improved fatigue resistance of calf muscles in newborn piglets with IUGR. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 278:R304-R310, 2000.

Weihls, H., E. Mutschler and A. Walland. Alinidine prevents hypoperfusion-induced transmural flow redistribution in isolated paced rat hearts. *Clinical Experimental Pharmacol Physiology* 21:471-6, 1994.

Wiedeman, M. P. Dimensions of Blood Vessels from Distributing Artery to Collecting Vein. *Circulation Research* XII:375-378, 1963.

Wieland, W., P. F. Wouters, H. Van Aken and W. Flameng. Measurement of Organ Blood Flow with Coloured Microspheres: a First Time-Saving Improvement using Automated Spectrophotometry. *Proceedings of Computers in Cardiology*. 691-694, 1993.

Wolf, W. C., H. Yoshida, J. Agata, L. Chao and J. Chao. Human tissue kallikrein gene delivery attenuates hypertension, renal injury, and cardiac remodeling in chronic renal failure. *Kidney International*. 58:730-739, 2000.

Wouters, P. F., M. VandeVelde, H. VanAken and W. Flameng. Ischemic event characteristics determine the extent of myocardial stunning in conscious dogs. *Basic Research In Cardiology*. 91:140-146, 1996.

Wu, C. H., D. C. Lindsey, D. L. Traber, C. E. Cross, D. N. Herndon and G. C. Kramer. Measurement of bronchial blood flow with radioactive microspheres in awake sheep. *Journal Applied Physiology* 65:1131-9, 1988.

Xuan, B., Y. H. Zhou, R. Varma and G. C. Y. Chiou. Effects of some N-nitroprazole derivatives on ocular blood flow and retinal function recovery after ischemic insult. *Journal of Ocular Pharmacology and Therapeutics*. 15:135-142, 1999.

- Yamamoto, N., T. Kohmoto, A. G. Gu, C. DeRosa, C. R. Smith and D. Burkhoff. Angiogenesis is enhanced in ischemic canine myocardium by transmural laser revascularization. *Journal of the American College of Cardiology*. 31:1426-1433, 1998.
- Yamamoto, M., K. Egashira, K. Arimura, H. Tada, H. Shimokawa and A. Takeshita. Coronary vascular K⁺ATP channels contribute to the maintenance of myocardial perfusion in dogs with pacing-induced heart failure. *Japanese Circulation Journal English Edition*. 64:701-707, 2000.
- Yamasaki, T. and T. Tsutsui. Spontaneous emission from fluorescent molecules embedded in photonic crystals consisting of polystyrene microspheres. *Applied Physics Letters*. 72:1957-1959, 1998.
- Yanagi, S., K. Takeuchi, T. Takeda, M. Ishikawa and I. Miura. Effects of inotropic stimulation on phosphate compounds in ischaemic canine hearts. *Cardiovascular Research* 27:1435-43., 1993.
- Yanagi, S., K. Takeuchi, T. Takeda, M. Ishikawa and I. Miura. Comparison of the effects of dobutamine and isoproterenol in ischemic hearts by phosphorus-31 nuclear magnetic resonance spectroscopy. *Japanese Circulation Journal* 58:338-50., 1994.
- Yang, R., Q. Liu, J. L. Unthank, M. D. Pescovitz and J. L. Grosfeld. Preservation of postprandial intestinal hyperemic response after small bowel transplantation. *Journal Pediatr Surgery* 30:1090-2., 1995.
- Yen, R. T. and Y. C. Fung. Effect of velocity of distribution on red cell distribution in capillary blood vessels. *Journal R Coll Gen Pract Occas Pap*. 235:H251-7, 1978.
- Yipintsoi, T., W. A. Dobbs, Jr., P. D. Scanlon, T. J. Knopp and J. B. Bassingthwaight. Regional distribution of diffusible tracers and carbonized microspheres in the left ventricle of isolated dog hearts. *Circulation Research* 33:573-87, 1973.
- Yokota, R., Fujiwara, H., Miyamae, M., Tanaka, M., Yamasaky, K., Itoh, S., Koga, K., Yabuuchi, Y., and Sasayama, S.. Transient adenosine infusion before ischemia and reperfusion protects against metabolic damage in pig hearts. *Am Journal of Physiology* 268:H1149-H1157, 1995.
- Youd, J. M., J. M. B. Newman, M. G. Clark, G. J. Appleby, S. Rattigan, A. C. Y. Tong and M. A. Vincent. Increased metabolism of infused 1-methylxanthine by working muscle. *Acta Physiologica Scandinavica* 166:301-308, 1999.
- Zeltner, T. B., T. D. Sweeney, W. A. Skornik, H. A. Feldman and J. D. Brain. Retention and clearance of 0.9-micron particles inhaled by hamsters during rest or exercise. *Journal Applied Physiology* 70:1137-45, 1991.
- Zhao, Z. Q., M. Nakamura, N. P. Wang, J. N. Wilcox, S. Shearer, R. A. Guyton and J. Vinten-Johansen. Administration of adenosine during reperfusion reduces injury of vascular endothelium and death of myocytes. *Coronary Artery Disease*. 10:617-628, 1999.
- Zhao, Z. Q., M. Nakamura, N. P. Wang, J. N. Wilcox, S. Shearer, R. S. Ronson, R. A. Guyton and J. Vinten-Johansen. Reperfusion induces myocardial apoptotic cell death. *Cardiovascular Research* 45:651-660, 2000.
- Zhao, Z. Q., M. Nakamura, N. P. Wang, D. A. Velez, L.-K. O. Hewan, R. A. Guyton and J. Vinten-Johansen. Dynamic progression of contractile and endothelial dysfunction and infarct extension in the late phase of reperfusion. *Journal of Surgical Research* 94:133-144, 2000.
- Zink, B. J., C. H. Schultz, X. Wang, M. Mertz, S. A. Stern and A. L. Betz. Effects of ethanol on brain lactate in experimental traumatic brain injury with hemorrhagic shock. *Brain Research* 837:1-7, 1999.

Zippel, K. C., H. B. Lillywhite and C. R. J. Mladinich. Contribution of the vertebral artery to cerebral circulation in the rat snake *Elaphe obsoleta*. *Journal of Morphology*. 238:39-51, 1998.

Zwiener-U, B.-R. W.-B. Effect of severe normocapnic hypoxia on renal function in growth-restricted newborn piglets. *American Journal of Physiology Regulatory Integrative and Comparative Physiology* 279:R1010-R1016, 2000.

Zwissler, B., R. Schosser, C. Weiss, V. Iber, M. Weiss, C. Schwickert, P. Spengler and K. Messmer. Methodological error and spatial variability of organ blood flow measurements using radiolabeled microspheres. *Research Experimental Medicine Berl.* 191:47-63, 1991.